

**02 INFORMATION ABOUT PRINCIPAL INVESTIGATORS/PROJECT DIRECTORS(PI/PD) and
co-PRINCIPAL INVESTIGATORS/co-PROJECT DIRECTORS**

Submit only ONE copy of this form for each PI/PD and co-PI/PD identified on the proposal. The form(s) should be attached to the original proposal as specified in GPG Section II.B. Submission of this information is voluntary and is not a precondition of award. This information will not be disclosed to external peer reviewers. **DO NOT INCLUDE THIS FORM WITH ANY OF THE OTHER COPIES OF YOUR PROPOSAL AS THIS MAY COMPROMISE THE CONFIDENTIALITY OF THE INFORMATION.**

PI/PD Name: Gerard P Gilfoyle

Gender: ☒ Male ☐ Female

Ethnicity: (Choose one response) ☐ Hispanic or Latino ☒ Not Hispanic or Latino

Race:
(Select one or more)

☐ American Indian or Alaska Native
☐ Asian
☐ Black or African American
☐ Native Hawaiian or Other Pacific Islander
☒ White

Disability Status:
(Select one or more)

☐ Hearing Impairment
☐ Visual Impairment
☐ Mobility/Orthopedic Impairment
☐ Other
☒ None

Citizenship: (Choose one) ☒ U.S. Citizen ☐ Permanent Resident ☐ Other non-U.S. Citizen

Check here if you do not wish to provide any or all of the above information (excluding PI/PD name): ☐

REQUIRED: Check here if you are currently serving (or have previously served) as a PI, co-PI or PD on any federally funded project ☒

Ethnicity Definition:

Hispanic or Latino. A person of Mexican, Puerto Rican, Cuban, South or Central American, or other Spanish culture or origin, regardless of race.

Race Definitions:

American Indian or Alaska Native. A person having origins in any of the original peoples of North and South America (including Central America), and who maintains tribal affiliation or community attachment.

Asian. A person having origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent including, for example, Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam.

Black or African American. A person having origins in any of the black racial groups of Africa.

Native Hawaiian or Other Pacific Islander. A person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

White. A person having origins in any of the original peoples of Europe, the Middle East, or North Africa.

WHY THIS INFORMATION IS BEING REQUESTED:

The Federal Government has a continuing commitment to monitor the operation of its review and award processes to identify and address any inequities based on gender, race, ethnicity, or disability of its proposed PIs/PDs. To gather information needed for this important task, the proposer should submit a single copy of this form for each identified PI/PD with each proposal. Submission of the requested information is voluntary and will not affect the organization's eligibility for an award. However, information not submitted will seriously undermine the statistical validity, and therefore the usefulness, of information received from others. Any individual not wishing to submit some or all the information should check the box provided for this purpose. (The exceptions are the PI/PD name and the information about prior Federal support, the last question above.)

Collection of this information is authorized by the NSF Act of 1950, as amended, 42 U.S.C. 1861, et seq. Demographic data allows NSF to gauge whether our programs and other opportunities in science and technology are fairly reaching and benefiting everyone regardless of demographic category; to ensure that those in under-represented groups have the same knowledge of and access to programs and other research and educational opportunities; and to assess involvement of international investigators in work supported by NSF. The information may be disclosed to government contractors, experts, volunteers and researchers to complete assigned work; and to other government agencies in order to coordinate and assess programs. The information may be added to the Reviewer file and used to select potential candidates to serve as peer reviewers or advisory committee members. See Systems of Records, NSF-50, "Principal Investigator/Proposal File and Associated Records", 63 Federal Register 267 (January 5, 1998), and NSF-51, "Reviewer/Proposal File and Associated Records", 63 Federal Register 268 (January 5, 1998).

**02 INFORMATION ABOUT PRINCIPAL INVESTIGATORS/PROJECT DIRECTORS(PI/PD) and
co-PRINCIPAL INVESTIGATORS/co-PROJECT DIRECTORS**

Submit only ONE copy of this form for each PI/PD and co-PI/PD identified on the proposal. The form(s) should be attached to the original proposal as specified in GPG Section II.B. Submission of this information is voluntary and is not a precondition of award. This information will not be disclosed to external peer reviewers. ***DO NOT INCLUDE THIS FORM WITH ANY OF THE OTHER COPIES OF YOUR PROPOSAL AS THIS MAY COMPROMISE THE CONFIDENTIALITY OF THE INFORMATION.***

PI/PD Name: Emory F Bunn

Gender: ☒ Male ☐ Female

Ethnicity: (Choose one response) ☐ Hispanic or Latino ☒ Not Hispanic or Latino

Race:
(Select one or more)

☐ American Indian or Alaska Native
☐ Asian
☐ Black or African American
☐ Native Hawaiian or Other Pacific Islander
☒ White

Disability Status:
(Select one or more)

☐ Hearing Impairment
☐ Visual Impairment
☐ Mobility/Orthopedic Impairment
☐ Other
☒ None

Citizenship: (Choose one) ☒ U.S. Citizen ☐ Permanent Resident ☐ Other non-U.S. Citizen

Check here if you do not wish to provide any or all of the above information (excluding PI/PD name): ☐

REQUIRED: Check here if you are currently serving (or have previously served) as a PI, co-PI or PD on any federally funded project ☒

Ethnicity Definition:

Hispanic or Latino. A person of Mexican, Puerto Rican, Cuban, South or Central American, or other Spanish culture or origin, regardless of race.

Race Definitions:

American Indian or Alaska Native. A person having origins in any of the original peoples of North and South America (including Central America), and who maintains tribal affiliation or community attachment.

Asian. A person having origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent including, for example, Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam.

Black or African American. A person having origins in any of the black racial groups of Africa.

Native Hawaiian or Other Pacific Islander. A person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

White. A person having origins in any of the original peoples of Europe, the Middle East, or North Africa.

WHY THIS INFORMATION IS BEING REQUESTED:

The Federal Government has a continuing commitment to monitor the operation of its review and award processes to identify and address any inequities based on gender, race, ethnicity, or disability of its proposed PIs/PDs. To gather information needed for this important task, the proposer should submit a single copy of this form for each identified PI/PD with each proposal. Submission of the requested information is voluntary and will not affect the organization's eligibility for an award. However, information not submitted will seriously undermine the statistical validity, and therefore the usefulness, of information received from others. Any individual not wishing to submit some or all the information should check the box provided for this purpose. (The exceptions are the PI/PD name and the information about prior Federal support, the last question above.)

Collection of this information is authorized by the NSF Act of 1950, as amended, 42 U.S.C. 1861, et seq. Demographic data allows NSF to gauge whether our programs and other opportunities in science and technology are fairly reaching and benefiting everyone regardless of demographic category; to ensure that those in under-represented groups have the same knowledge of and access to programs and other research and educational opportunities; and to assess involvement of international investigators in work supported by NSF. The information may be disclosed to government contractors, experts, volunteers and researchers to complete assigned work; and to other government agencies in order to coordinate and assess programs. The information may be added to the Reviewer file and used to select potential candidates to serve as peer reviewers or advisory committee members. See Systems of Records, NSF-50, "Principal Investigator/Proposal File and Associated Records", 63 Federal Register 267 (January 5, 1998), and NSF-51, "Reviewer/Proposal File and Associated Records", 63 Federal Register 268 (January 5, 1998).

List of Suggested Reviewers or Reviewers Not To Include (optional)

SUGGESTED REVIEWERS:

Not Listed

REVIEWERS NOT TO INCLUDE:

Not Listed

COVER SHEET FOR PROPOSAL TO THE NATIONAL SCIENCE FOUNDATION

PROGRAM ANNOUNCEMENT/SOLICITATION NO./CLOSING DATE/if not in response to a program announcement/solicitation enter NSF 04-23					FOR NSF USE ONLY	
NSF 07-510 01/25/07					NSF PROPOSAL NUMBER	
FOR CONSIDERATION BY NSF ORGANIZATION UNIT(S) (Indicate the most specific unit known, i.e. program, division, etc.)					0722577	
PHY - MAJOR RESEARCH INSTRUMENTATION						
DATE RECEIVED	NUMBER OF COPIES	DIVISION ASSIGNED	FUND CODE	DUNS# (Data Universal Numbering System)	FILE LOCATION	
01/25/2007	2	03010000 PHY	1189	056915069	01/25/2007 11:54am	
EMPLOYER IDENTIFICATION NUMBER (EIN) OR TAXPAYER IDENTIFICATION NUMBER (TIN)		SHOW PREVIOUS AWARD NO. IF THIS IS <input type="checkbox"/> A RENEWAL <input type="checkbox"/> AN ACCOMPLISHMENT-BASED RENEWAL		IS THIS PROPOSAL BEING SUBMITTED TO ANOTHER FEDERAL AGENCY? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> IF YES, LIST ACRONYM(S)		
540505965				DoD/DURIP		
NAME OF ORGANIZATION TO WHICH AWARD SHOULD BE MADE			ADDRESS OF Awardee ORGANIZATION, INCLUDING 9 DIGIT ZIP CODE			
University of Richmond			University of Richmond			
AWARDEE ORGANIZATION CODE (IF KNOWN)			28 Westhampton Way			
0037440000			Richmond, VA. 231730001			
NAME OF PERFORMING ORGANIZATION, IF DIFFERENT FROM ABOVE			ADDRESS OF PERFORMING ORGANIZATION, IF DIFFERENT, INCLUDING 9 DIGIT ZIP CODE			
PERFORMING ORGANIZATION CODE (IF KNOWN)						
IS Awardee ORGANIZATION (Check All That Apply) (See GPG II.C For Definitions)			<input type="checkbox"/> SMALL BUSINESS <input type="checkbox"/> FOR-PROFIT ORGANIZATION		<input type="checkbox"/> MINORITY BUSINESS <input type="checkbox"/> WOMAN-OWNED BUSINESS	
					<input type="checkbox"/> IF THIS IS A PRELIMINARY PROPOSAL THEN CHECK HERE	
TITLE OF PROPOSED PROJECT MRI: Acquisition of a computing cluster for nuclear physics and astrophysics research at the University of Richmond						
REQUESTED AMOUNT		PROPOSED DURATION (1-60 MONTHS)		REQUESTED STARTING DATE		SHOW RELATED PRELIMINARY PROPOSAL NO. IF APPLICABLE
\$ 289,337		36 months		08/01/07		
CHECK APPROPRIATE BOX(ES) IF THIS PROPOSAL INCLUDES ANY OF THE ITEMS LISTED BELOW						
<input type="checkbox"/> BEGINNING INVESTIGATOR (GPG I.A)			<input type="checkbox"/> HUMAN SUBJECTS (GPG II.D.6)			
<input type="checkbox"/> DISCLOSURE OF LOBBYING ACTIVITIES (GPG II.C)			Exemption Subsection _____ or IRB App. Date _____			
<input type="checkbox"/> PROPRIETARY & PRIVILEGED INFORMATION (GPG I.B, II.C.1.d)			<input type="checkbox"/> INTERNATIONAL COOPERATIVE ACTIVITIES: COUNTRY/COUNTRIES INVOLVED (GPG II.C.2.j)			
<input type="checkbox"/> HISTORIC PLACES (GPG II.C.2.j)						
<input type="checkbox"/> SMALL GRANT FOR EXPLOR. RESEARCH (SGER) (GPG II.D.1)						
<input type="checkbox"/> VERTEBRATE ANIMALS (GPG II.D.5) IACUC App. Date _____			<input type="checkbox"/> HIGH RESOLUTION GRAPHICS/OTHER GRAPHICS WHERE EXACT COLOR REPRESENTATION IS REQUIRED FOR PROPER INTERPRETATION (GPG I.G.1)			
PI/PD DEPARTMENT			PI/PD POSTAL ADDRESS			
Department of Physics			Richmond, VA 23173			
PI/PD FAX NUMBER			United States			
NAMES (TYPED)	High Degree	Yr of Degree	Telephone Number	Electronic Mail Address		
PI/PD NAME						
Gerard P Gilfoyle	PhD	1985	804-289-8255	ggilfoyl@richmond.edu		
CO-PI/PD						
Emory F Bunn	PhD	1995	804-287-6486	ebunn@richmond.edu		
CO-PI/PD						
CO-PI/PD						
CO-PI/PD						

CERTIFICATION PAGE

Certification for Authorized Organizational Representative or Individual Applicant:

By signing and submitting this proposal, the individual applicant or the authorized official of the applicant institution is: (1) certifying that statements made herein are true and complete to the best of his/her knowledge; and (2) agreeing to accept the obligation to comply with NSF award terms and conditions if an award is made as a result of this application. Further, the applicant is hereby providing certifications regarding debarment and suspension, drug-free workplace, and lobbying activities (see below), as set forth in Grant Proposal Guide (GPG), NSF 04-23. Willful provision of false information in this application and its supporting documents or in reports required under an ensuing award is a criminal offense (U. S. Code, Title 18, Section 1001).

In addition, if the applicant institution employs more than fifty persons, the authorized official of the applicant institution is certifying that the institution has implemented a written and enforced conflict of interest policy that is consistent with the provisions of Grant Policy Manual Section 510; that to the best of his/her knowledge, all financial disclosures required by that conflict of interest policy have been made; and that all identified conflicts of interest will have been satisfactorily managed, reduced or eliminated prior to the institution's expenditure of any funds under the award, in accordance with the institution's conflict of interest policy. Conflicts which cannot be satisfactorily managed, reduced or eliminated must be disclosed to NSF.

Drug Free Work Place Certification

By electronically signing the NSF Proposal Cover Sheet, the Authorized Organizational Representative or Individual Applicant is providing the Drug Free Work Place Certification contained in Appendix C of the Grant Proposal Guide.

Debarment and Suspension Certification

(If answer "yes", please provide explanation.)

Is the organization or its principals presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency?

Yes ☐

No ☒

By electronically signing the NSF Proposal Cover Sheet, the Authorized Organizational Representative or Individual Applicant is providing the Debarment and Suspension Certification contained in Appendix D of the Grant Proposal Guide.

Certification Regarding Lobbying

This certification is required for an award of a Federal contract, grant, or cooperative agreement exceeding \$100,000 and for an award of a Federal loan or a commitment providing for the United States to insure or guarantee a loan exceeding \$150,000.

Certification for Contracts, Grants, Loans and Cooperative Agreements

The undersigned certifies, to the best of his or her knowledge and belief, that:

(1) No federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.

(2) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure of Lobbying Activities," in accordance with its instructions.

(3) The undersigned shall require that the language of this certification be included in the award documents for all subawards at all tiers including subcontracts, subgrants, and contracts under grants, loans, and cooperative agreements and that all subrecipients shall certify and disclose accordingly.

This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by section 1352, Title 31, U.S. Code. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

AUTHORIZED ORGANIZATIONAL REPRESENTATIVE		SIGNATURE		DATE	
NAME		Electronic Signature		Jan 25 2007 11:42AM	
Jennifer M Sauer					
TELEPHONE NUMBER	ELECTRONIC MAIL ADDRESS			FAX NUMBER	
804-289-8150	jsauer@richmond.edu			804-287-6474	

*SUBMISSION OF SOCIAL SECURITY NUMBERS IS VOLUNTARY AND WILL NOT AFFECT THE ORGANIZATION'S ELIGIBILITY FOR AN AWARD. HOWEVER, THEY ARE AN INTEGRAL PART OF THE INFORMATION SYSTEM AND ASSIST IN PROCESSING THE PROPOSAL. SSN SOLICITED UNDER NSF ACT OF 1950, AS AMENDED.

Project Summary

We request funds to obtain a 50-CPU computing cluster and 5 TByte of storage space to support existing, externally-funded research programs in nuclear physics and astrophysics. This instrument will support modern computational science performed by University of Richmond faculty, students, and others in collaborative work. It will make us more productive and will help train our students in modern data mining techniques and simulation.

Intellectual Merit: The nuclear physics component is focused on the program at the Thomas Jefferson National Accelerator Facility (JLab) to understand the nature of protons, neutrons, and atomic nuclei in terms of the underlying quarks and gluons. We are members of the CLAS Collaboration at JLab and are currently analyzing the breakup of the deuteron (composed of a proton and a neutron) induced by collisions with high-energy electrons. We are also part of the effort to extract the magnetic form factor of the neutron G_M^n to reveal the distribution of magnetization within the neutron and we are developing new physics proposals as part of doubling of the beam energy at JLab that is one of the US Department of Energy's high-priority projects.

The astrophysics research will focus on simulation of next-generation cosmic microwave background (CMB) polarization observations. Detailed mapping of the CMB polarization may provide a unique probe of the very early Universe. We are involved in the development of a ground-based bolometric interferometer as well as a NASA-funded mission concept study for a future space-borne telescope. The computations funded in this proposal will allow detailed simulations of these instruments to optimize their design and assess their ability to achieve our long-term science goals.

The computing needs required for these physics projects are considerable. To analyze the data sets we collect at JLab requires a deep understanding of our large, complex particle detectors. To distinguish between real physics effects in our data and artifacts of the detector or the analysis, we perform complex simulations that can take a week to perform. The proposed instrument will dramatically reduce the time to perform these simulations. The data sets we collect with CLAS are large, so considerable storage space is required. Just one of the data sets for the analysis mentioned above and described in the proposal occupies about 0.5 TByte. The astrophysics computations involve simulating large data sets and converting the raw simulated observations into power spectra that can be compared with theoretical models. Without the computing cluster we propose to acquire, these simulations cannot be performed quickly enough to build up a statistically significant number of realizations in a reasonable time.

Broader Impact: Both principal investigators (PIs) are externally funded, so the proposed instrument will enhance already-existing research programs. The University of Richmond is a primarily undergraduate institution and has a strong commitment to supporting undergraduate research; in particular, the University provides support for student stipends to support summer research, which the PIs have used in the past. The proposed computing cluster will train students in modern methods of data analysis, data mining, and simulation. They will learn to use different computer programs specific to their projects and more general software tools like Perl, C++, and others to use the cluster. They will submit batch jobs directly to the cluster, assemble and process the results, extract the physics, and, often debug their codes. The PIs have a long history of successful mentoring of undergraduate researchers. In the last 2-3 years alone, six of their students have presented thirteen talks at local and national physics meetings including the April meeting of the American Physical Society and the annual meeting of the American Astronomical Society. Five other senior personnel from other institutions are committed to the project. The instrument will benefit undergraduates, graduate students, and post-doctoral fellows beyond the University of Richmond. The proposed instrument will enhance those programs.

TABLE OF CONTENTS

For font size and page formatting specifications, see GPG section II.C.

	Total No. of Pages	Page No.* (Optional)*
Cover Sheet for Proposal to the National Science Foundation		
Project Summary (not to exceed 1 page)	1	_____
Table of Contents	1	_____
Project Description (Including Results from Prior NSF Support) (not to exceed 15 pages) (Exceed only if allowed by a specific program announcement/solicitation or if approved in advance by the appropriate NSF Assistant Director or designee)	15	_____
References Cited	6	_____
Biographical Sketches (Not to exceed 2 pages each)	14	_____
Budget (Plus up to 3 pages of budget justification)	5	_____
Current and Pending Support	7	_____
Facilities, Equipment and Other Resources	1	_____
Special Information/Supplementary Documentation	0	_____
Appendix (List below.) (Include only if allowed by a specific program announcement/ solicitation or if approved in advance by the appropriate NSF Assistant Director or designee)	_____	_____
Appendix Items:		

*Proposers may select any numbering mechanism for the proposal. The entire proposal however, must be paginated. Complete both columns only if the proposal is numbered consecutively.

Project Description

1 Introduction

Funds are requested from the National Science Foundation's Major Research Instrumentation (MRI) program to develop a supercomputing cluster to support the research programs at the University of Richmond in nuclear physics and astrophysics. The instrument will also be available to senior personnel at other institutions for work on closely related projects. The research groups at Richmond typically support 5-6 undergraduates each summer and during the academic year (the University of Richmond is a primarily undergraduate institution). These students routinely go on to careers in science and engineering. Both of the Richmond programs have external support from the US Department of Energy (DOE) (Gilfoyle in nuclear physics) and the National Science Foundation (NSF) (Bunn in astrophysics).

The nuclear physics research is centered on unraveling the structure of the nucleon and nature of quark confinement. Additional senior personnel in nuclear physics will use the instrument at Ohio University, Virginia Tech, and Union College. They are members of the CLAS Collaboration (with Gilfoyle) that is responsible for the operation of a large particle detector (CLAS) at the Thomas Jefferson National Accelerator Facility (JLab) in Newport News, VA. The astrophysics research will focus on simulations of a new cosmic microwave background polarimeter being built by researchers at Brown University and the University of Wisconsin in collaboration with Co-PI Bunn. Senior personnel at both Brown and Wisconsin will be heavily involved in the project.

We have considerable experience with supercomputing. One of us (Gilfoyle) was a co-principal investigator on a project that developed a computing cluster in 2001 with support from the NSF at Richmond. He has been the manager of that project since then. That existing system is near the end of its useful life, but the infrastructure to support it is still sound and the proposed system will benefit from that investment.

2 Nuclear Physics

The research effort in nuclear physics is part of the program at JLab. The primary mission of JLab is to reveal the quark and gluon structure of nucleons and nuclei and to deepen our understanding of matter and the confinement of quarks. Nucleons are comprised of three valence quarks held together by the exchange of gluons, along with a quark-gluon sea of particles. Quantum Chromodynamics (QCD), the fundamental theory of particle physics, is a highly successful description of quarks at very high 4-momentum transfers or Q^2 [1], but at the energies where the nucleons exist (the non-perturbative region), it has proved to be a daunting challenge to solve [2]. At low $Q^2 < 0.5 \text{ (GeV/c)}^2$ the "hadronic" picture of nuclei (*i.e.*, nuclei made of protons and neutrons) has been successful at reproducing a wide range of measurements [8]. However, the transition region between these extremes is poorly understood in the range $Q^2 \approx 0.5 - 10.0 \text{ (GeV/c)}^2$ and mapping the geography of this transition is an essential goal of nuclear physics (see Long-Range Plan of the Nuclear Science Advisory Committee (NSAC)¹ [3]).

The central instrument at JLab is a superconducting electron accelerator with a maximum energy of 4-6 GeV, a 100% duty cycle, and a maximum current of 200 μA . Our research is done in Hall B with the CEBAF Large Acceptance Spectrometer (CLAS). This device is a large (45-ton), toroidal multi-gap magnetic spectrometer with nearly full solid angle coverage. A toroidal magnetic field is generated by six iron-free superconducting coils. The particle detection system

¹NSAC is an advisory committee that provides official advice to the Department of Energy (DOE) and the National Science Foundation (NSF) on the national program for basic nuclear science research.

consists of drift chambers [4], Cerenkov detectors [5], scintillation counters [6] for time-of-flight measurements, and electromagnetic calorimeters [7]. Together there are about 33,000 detecting elements capable of acquiring approximately 1 terabyte of data per day. The Richmond group has been part of the CLAS Collaboration which built and operates the detector since its inception.

The analysis of these large data sets requires significant computing resources. First pass analysis is done on the JLab computing farm, but final results require additional analysis. Demand is high for the computing resources at JLab, and it can routinely take a day for a submitted batch job to start. We have developed our own local computing cluster so we can analyze our data in a timely fashion. We also simulate the response of CLAS to separate real physics effects from artifacts of the detector. This stage requires large disk space to store the Monte Carlo events and, more importantly, considerable computing power. Our simulation generates Monte Carlo events at only about 2-3 events per second.

2.1 Out-of-Plane Structure Functions of the Deuteron

The hadronic model of nuclear physics has been successful at low Q^2 , but it is not well-developed in the GeV region. There have been few measurements to challenge theory in this region until recently [8, 9]. We must provide a baseline for the hadronic model so deviations at higher Q^2 can be attributed to quark-gluon effects with greater confidence [3, 10]. To this end, we are investigating the out-of-plane structure functions of the deuteron, the simplest nucleus, using the reaction $D(\vec{e}, e'p)n$ with CLAS. The cross section for the reaction is

$$\frac{d\sigma^5}{d\omega d\Omega_e d\Omega_{pq}} = C (\rho_l f_l + \rho_t f_t + \rho_{TT} f_{TT} \cos \phi_{pq} + \rho_{LT} f_{LT} \cos 2\phi_{pq} + h \rho'_{LT} f'_{LT} \sin \phi_{pq}) \quad (1)$$

where C and the ρ_i are functions of the known electron parameters, h is the helicity of the electron beam, and ϕ_{pq} is the azimuthal angle of the ejected proton relative to the 3-momentum transfer \vec{q} and the 3-momentum of the beam. The unique, nearly- 4π solid angle of CLAS creates an inviting opportunity to study the ϕ_{pq} -dependent structure functions f'_{LT} , f_{LT} , and f_{TT} . They represent a model-independent measurement of a little-studied part of the deuteron cross section.




Figure 1: Preliminary results for the asymmetry A'_{LT} proportional to f'_{LT} .

These three structure functions are extracted by measuring different moments of the out-of-plane production in CLAS. Each of these moments is related to a different asymmetry which is, in turn, proportional to a particular structure function. The data cover the 4-momentum transfer range $Q^2 = 0.2 - 5.0$ (GeV/c)². We are studying the reaction in quasi-elastic kinematics first and later will investigate higher energy transfers. Our preliminary results for the asymmetry A'_{LT} (proportional to f'_{LT}) in Figure 1 at a beam energy of 2.6 GeV show significant structure which is reproduced by a calculation from Jeschonnek (red curve) [11]. Two other calculations by Arenhoevel (black curve) [12] and Laget (green curve) [13] do not reproduce the data as well. The extraction and analysis of the other two structure functions (f_{LT} and f_{TT}) and investigations of different kinematic regimes for all three structure functions are ongoing. This work is part of a CLAS Approved Analysis (CAA) entitled "Out-of-Plane Measurements of the Structure Functions of the Deuteron." A

CLAS Collaboration member can write a proposal to analyze an existing data set, the proposal is reviewed by a committee of Collaboration members, and defended before the full Collaboration who then vote to approve the project. Gilfoyle is the spokesperson on this CAA [14]. The analysis of the data and the simulations of CLAS are computationally intensive and would use the proposed cluster.

2.2 Magnetic Form Factor of the Neutron

The elastic electromagnetic form factors are the most basic observables that describe the internal structure of the proton and neutron. The differential cross section for elastic electron-nucleon scattering can then be calculated in the laboratory frame as [15]

$$\frac{d\sigma}{d\Omega} = \sigma_{Mott} \left(G_E^2 + \frac{\tau}{\epsilon} G_M^2 \right) \left(\frac{1}{1 + \tau} \right) \quad (2)$$

where σ_{Mott} is the cross section for scattering from a point particle, G_E is the electric form factor, G_M is the magnetic form factor, $\tau = Q^2/4M^2$, ϵ is the polarization of the virtual photon, and M is the nucleon mass. There are four elastic form factors (electric and magnetic ones for each nucleon) and their evolution with Q^2 characterizes the distributions of charge and magnetization within the proton and neutron. They are stringent tests of non-perturbative QCD and are connected to generalized parton distributions (GPDs). Conventional parton distributions describe the longitudinal momenta of the nucleon constituents, but integrate over the transverse structure losing, for example, information about the orbital angular momentum of the partons. With exclusive measurements and the GPD formalism one can determine the longitudinal momenta and transverse position of the partons inside the nucleon, their orbital angular momentum, and quantum interference effects [16]. The elastic form factors are also important challenges for lattice QCD to meet. Lattice QCD is one of the more promising avenues for solving non-perturbative QCD, and one of its important tests will be the accuracy with which it can reproduce the elastic form factors in this Q^2 range [17].

We are part of a broad assault on the four elastic nucleon form factors at JLab [18]. Our focus is on G_M^n , the magnetic form factor of the neutron. To measure G_M^n we use the ratio of elastic $e-n$ to elastic $e-p$ scattering on deuterium. The ratio method is less vulnerable to uncertainties than previous methods. We have completed data collection and most of the analysis for a measurement of G_M^n in the range $Q^2 = 0.2 - 5.0$ (GeV/c)² [19, 20]. A report describing the analysis of two out of the three sets of running conditions in the experiment is under Collaboration review. Our group at Richmond has taken on the analysis of the third remaining data set. We note the G_M^n data sets are the same ones used in the deuteron structure function analysis described in Section 2.1. We have also submitted a Letter-of-Intent to the JLab Program Advisory Committee (PAC) to make the same measurements at higher Q^2 as part of the JLab 12-GeV Upgrade.² A Letter-of-Intent is a preliminary proposal for beam time at JLab, and it provides feedback from the PAC before the researchers make the large investment of time and effort required to produce a full proposal. The Letter-of-Intent was approved by the PAC in August 2006 [22]. We are now developing a full beam time proposal. Gilfoyle is the spokesperson and contact person for the Letter-of-Intent. The work of completing the existing experiment analysis and preparing the full proposal will take advantage of the computing cluster proposed here.

²The DOE plans to upgrade the accelerator at JLab from a beam energy of 6 GeV to 12 GeV. The upgrade will require extensive changes to the accelerator and to CLAS to take advantage of the new physics opportunities. The JLab, 12-GeV-Upgrade is the fourth highest priority of the DOE office of Science in the next 20 years [21].

2.3 Quark Propagation and Hadron Formation

The confinement of quarks inside hadrons is perhaps the most remarkable feature of QCD and solving its mysteries is an essential goal of nuclear physics [3]. In one picture a struck quark stretches the color string until $q\bar{q}$ pairs tunnel up from the vacuum and break the string. The full picture with full QCD is more complicated.

We have proposed a broad program of measurements and analyses to determine the mechanisms of confinement in forming systems. We use the nucleus as a “detector” to probe the hadronization formation length and the time scale on which a pre-hadron (such as a bare $q\bar{q}$ pair) becomes dressed with its own gluonic field. The response of the hadron to the presence of the nucleus depends on the time scale on which hadronization takes place inside the nucleus. The ratio of hadrons produced relative to the production from deuterium (hadronic multiplicity ratio R_M^h) and transverse momentum broadening Δp_T^2 are the two primary observables. Using a wide range of nuclear targets one can measure the quark production time and hadron formation times with different hadrons produced in the reaction. The production time is the lifetime of a deconfined quark, and it will be determined by analyzing the kinematic dependence of Δp_T^2 . The formation times are the time intervals required to form the color field of hadrons, and these will be determined from the kinematic dependence of the hadronic multiplicity ratio R_M^h . A proposal to do this experiment at high Q^2 as part of the 12-GeV Upgrade was approved by the JLab PAC August, 2006 [23]. Gilfoyle is a co-spokesperson on that proposal and will be responsible for analyzing the π^0 , η , and η' production. We will use the proposed instrument to simulate the physics and the upgraded CLAS detector response to prepare for the 12-GeV Upgrade.

2.4 Technical Projects

The measurements of the nuclear reactions described above are subject to radiative corrections. The code DEEP_EXCLURAD developed by one of us (Gilfoyle) can be used for exclusive reactions using electrons [24]. Radiative corrections are usually calculated using the formalism developed by Schwinger and Mo and Tsai [25, 26], but that method is valid only for inclusive electron scattering and not for exclusive ones studied here. These new calculations are based on the method developed by Afanasev, *et al.* [27] and use the program DEEP to calculate the deuteron response functions [28]. We use an adaptive step size to perform some of the integrals so the run time can vary from a few tens of seconds to several hours for a single kinematic point. We need hundreds of such points for our analysis. This makes it essential to have access to the supercomputing cluster.

We are also committed to development projects for the JLab 12-GeV Upgrade to double the beam energy of the electron accelerator and enhance the experimental equipment in Hall B [29]. We will be responsible for design, prototyping, development, and testing of software for event simulation and reconstruction. The improved CLAS detector (called CLAS12) will have prodigious software requirements. Event simulation is an essential aspect of the design of CLAS12 and the eventual precision of the detector. For many experiments, the quality of the results will be limited by systematic uncertainties instead of statistical ones. The work will make significant use of the proposed cluster during its lifetime.

2.5 Role of Senior Personnel in Nuclear Physics

Faculty from institutions besides the University of Richmond are part of the nuclear physics portion of this project. All are members of the CLAS Collaboration with Gilfoyle and have been users of the existing cluster. Their participation here will raise their own research productivity and make better use of the proposed instrument. Just as important, the number of students, undergraduate and graduate, that will learn sophisticated data analysis and data mining methods

will increase. Below we describe the research of the other senior personnel in nuclear physics.

Dr. M.F. Vineyard is a professor at Union College in Schenectady, NY. Union is a primarily undergraduate institution like Richmond. He is working with Gilfoyle on the analysis of the G_M^n data (see Section 2.2) and studying the effects of the nuclear medium on excited states of the nucleon using photoproduction of the η meson as a more selective probe for some resonances. Dr. Vineyard is a co-spokesperson on those two measurements and on a Letter-of-Intent approved in 2006 to extend the G_M^n measurements to higher Q^2 [19, 22, 30]. Dr. Vineyard is also involved in technical projects developing software for the JLab 12-GeV Upgrade.

Dr. K.H. Hicks is a professor at Ohio University in Athens, OH. Ohio University is a research institution and Dr. Hicks typically has a postdoctoral fellow and 1-3 doctoral students in his group. His research is focused on strangeness electro- and photo-production as a way to probe the structure of the kaon itself and as a means to identify new hadronic states and to unravel the structure of known ones. He is co-spokesperson on three approved proposals at JLab including one with Gilfoyle in 2006 to study quark propagation and hadron formation as part of the JLab 12-GeV Upgrade (see Section 2.3) [23, 31, 32]. He is also the spokesperson on three CLAS Approved Analyses to investigate similar physics.

Dr. D. Jenkins is an emeritus professor at Virginia Tech in Blacksburg, VA. Virginia Tech is a research institution. Dr. Jenkins is a spokesperson on JLab experiment “The Photoproduction of Pions.” Analysis is now being completed for this experiment. He is part of another experiment to measure pion, eta and kaon photoproduction from a polarized target scheduled to begin March 2007. He is also a member of a group searching for exotic hybrids through coherent production on helium in preparation for the 12-GeV upgrade at JLab.

3 Astrophysics

The astrophysics research we propose concerns analysis of observations of the cosmic microwave background (CMB) radiation. For over ten years now, CMB observations have been among the main contributors to the extraordinary advances in precision cosmology. The maps made by the COBE [33] and WMAP [34] satellites have led the way, along with a large number of suborbital experiments. With continued advances in observing technology in recent years, CMB observations are expected to be in the forefront of further great advances in cosmology in the coming decades. In particular, we are now at the beginning of an era of CMB polarimetry.

CMB polarization has already been detected [35, 36, 37, 38, 39, 40]. Numerous instruments are currently attempting to further characterize the polarization of the CMB, and more are under development. In the near future, maps of CMB polarization are expected to refine estimates of cosmological parameters (e.g., [41]), probe the ionization history of the Universe [42] and the details of recombination [43], and measure gravitational lensing due to large-scale structure [44]. Most exciting of all, polarization maps may provide a direct probe of an inflationary epoch in the extremely early Universe [45, 46].

CMB polarimetry is an extremely high priority in the astrophysics community. As a joint DoE/NASA/NSF Task Force noted, “the accurate measurement of CMB polarization is the next critical step in extending our knowledge of both the early Universe and fundamental physics at the highest energies . . . As our highest priority, we recommend a phased program to measure the large-scale CMB polarization signal expected from inflation” [47]. Similar opinions are expressed in the National Research Council’s decadal survey of astronomy and astrophysics [48] and their report *Connecting Quarks with the Cosmos* [49].

NASA’s *Beyond Einstein* road map for future astrophysics programs includes a dedicated CMB polarimeter known as the Einstein Inflation Probe (EIP) [50]. Co-PI Bunn is one of the leaders, along with Peter Timbie at Wisconsin and Gregory Tucker at Brown, of a NASA-funded Mission




Figure 2: The left panel shows CMB angular power spectra for temperature anisotropy, E polarization, and B polarization. For the B spectrum, the tensor and lensing contributions are shown separately. These spectra are based on the best-fit model from WMAP [34], with the tensor-to-scalar ratio taken to be 0.1. The right panel shows forecasted errors on the E (upper) and B (lower) signals for EPIC [51]. In addition to characterizing the E spectrum with unprecedented precision, EPIC will be able to measure both of the major B signals: the lensing contribution at high multipoles (small angular scales) and the tensor contribution at low multipoles. The latter provides a unique test of inflation.

Concept Study for the EIP, the Einstein Polarization Interferometer for Cosmology (EPIC). If eventually selected, this instrument would be an interferometer using bolometric detectors, the highest-sensitivity detectors at millimeter wavelengths. The members of the EPIC collaboration are currently constructing and deploying a ground-based prototype four-element millimeter-wave bolometric interferometer (MBI-4). We plan in the next few years to extend this to a 16-element balloon-borne instrument (MBI-16). Recent status reports on MBI and EPIC may be found in [51, 52]. The work proposed herein is to develop data analysis and simulation tools in support of MBI and EPIC. Although we will focus primarily on the MBI/EPIC instrument design, we expect our results to be applicable to CMB interferometers more generally. Timbie and Tucker are senior personnel on this proposal and will be heavily involved in this research.

The key to understanding the science that can be derived from a CMB polarization map is the fact that any such map contains two components — a scalar E component and a pseudoscalar B component [45, 46], which probe different physical phenomena. In particular, ordinary density (scalar) perturbations produce only E -type polarization (to linear order). As a result, the B component is predicted to be smaller than E by an order of magnitude or more over all angular scales (see Figure 2). However, the very fact that density perturbations do not produce B -type polarization makes detection of the B component more valuable: the B channel is a clean probe of other types of perturbations. By far the most exciting prospect is the use of B modes to detect primordial gravitational waves (tensor perturbations) produced during an inflationary epoch. If this tensor B component is detected, we will have a direct probe of the Universe at far earlier times than any other method can provide.

Other than the signature of primordial tensor perturbations, the dominant source of B -type polarization in the CMB is expected to be gravitational lensing of E modes by large-scale structure. These two predicted sources of B modes probe very different epochs: the tensor contribution is imprinted on the CMB at the time of last scattering but is a relic of the extremely early Universe; the lensing contribution is produced at much later times.

All CMB polarization detections to date have been of the E component; the chief goal of the EIP, as well as future suborbital missions, will be to detect the B component. The B -type

polarization signal is extremely weak; however, by combining thousands of low-noise detectors with long integration times, the next generation of experiments will have the raw sensitivity to detect it. Figure 2 shows forecasts of E and B error bars for the EPIC mission concept. The greater challenges are removal of non-cosmological foreground signals and control of systematic errors such as pointing errors, imperfectly known beam patterns, crosstalk among detectors, etc. The primary science goal of the astrophysics research proposed herein is to perform simulations of interferometric CMB polarization observations to assess the effects of systematic errors.

In Section 3.1, we outline some differences between interferometric CMB observations and traditional imaging systems, and in Section 3.2 we describe the simulations to be performed.

3.1 Interferometric CMB polarimetry

Traditionally, measurements of the CMB have used two different approaches: direct imaging and interferometry, and both technologies are being seriously examined as candidates for future B-mode experiments such as the EIP. The goal of MBI and EPIC is to combine the advantages of interferometry with bolometric detectors, the lowest-noise detector technology at millimeter wavelengths. There are several advantages to this approach:

Cost and Simplicity. For measurements that require high angular resolution, large single dishes are often impractical for a number of reasons including mass, deformations due to gravity and cost. Interferometers effectively enable high angular resolution by reproducing the resolution performance of a large dish; the trade-off is a reduction in collection area if the interferometer area is not filled.

Clean Optics. Interferometers have simple, reflection-free optics, removing various sources of spurious polarization. The microwave signal enters the instrument via corrugated horn antennas, which have extremely low sidelobes and easily calculable, symmetric beam patterns.

No chopping and scanning. Traditional imaging systems for CMB observations typically use some form of chopping, either by nutating a secondary mirror or by steering the entire instrument at a rate faster than the $1/f$ noise in the atmosphere and detectors. With no need for rapid chopping, the time constants of the detectors can be relatively long.

Better Resolution for Equivalent Size. An interferometer has angular resolution roughly twice as good as a monolithic dish of the same size. The reason is that the signal in a filled dish is dominated by spacings that are much smaller than the aperture diameter. This angular resolution factor is important because the size of the aperture is a cost-driver for the EIP. Angular resolution is important for CMB polarization measurements in two ways. First, imperfections in the shape and pointing of beams couple the CMB temperature anisotropy into false polarization signals. These problems can be reduced significantly if the CMB is smooth on the scale of the beam size, which happens for beams smaller than $\sim 10'$ [53]. Second, removing contamination of the tensor B -mode signal by B -modes from weak lensing requires maps of the lensing at higher angular resolution than the scale at which the tensor B -modes peak [54].

Clean separation of E and B modes. In any incomplete sky map, there is some “leakage” between E and B components [55, 56, 57]. One simple way to understand this is to note that the E - B separation can be done trivially mode by mode in Fourier space. With incomplete sky coverage, individual Fourier modes cannot be measured. The data from an interferometer consists of visibilities, which have narrow window functions in Fourier space. As a result, there is less E - B leakage in interferometric data than in imaging data [58].

Direct Measurement of Stokes Parameters. Interferometers can measure the linear polarization Stokes parameters Q and U directly, without differencing signals from different detectors. As a result, some sources of systematic error that cause large spurious signals in a traditional experiment are greatly mitigated. For example, effects such as differential pointing errors (“squin”) are greatly mitigated.

cause the unpolarized temperature anisotropy to contaminate the E and B polarization channels in a traditional imaging experiment [53] but do not in an interferometer [59]. Since the unpolarized signal is orders of magnitude larger than the polarized signal (Fig. 1), this makes a big difference.

3.2 Systematic error simulations

It is clearly essential to have a detailed, quantitative understanding of the effects of systematic errors and foreground contamination on data from both interferometric and imaging systems. The state of the art is far more developed for imaging systems than for interferometers. Our goal is to close that gap, so that the two technologies can be compared on an equal footing. We have established a theoretical framework for analysis of systematic errors in CMB interferometric polarimetry [59], but this work needs to be supplemented with detailed simulations. We propose to perform such simulations of CMB interferometric polarimetry in order to assess the effects of various systematic errors on MBI/EPIC in particular and on CMB interferometer in general.

Along with the construction of the prototype interferometer MBI-4, the MBI/EPIC research group has been developing a data analysis pipeline. Many steps in the pipeline can be performed with adaptations of publicly-available parallelized code (e.g., [60]); some stages require home-grown code which is currently under development. We will adapt this pipeline to the planned MBI-16 instrument, but simulation of this larger instrument will require more computing power than we presently have. The equipment to be purchased under this grant will enable us to simulate analysis of the MBI-16 data. Our overall goal is to simulate the propagation of a known signal through the instrument and then analyze it in the same manner as we will with the real data. We will determine in precise detail the error properties of both the recovered Fourier-space power spectrum and the recovered image.

We now outline the key steps in the simulation of MBI data. We will assess the computational requirements in section 4.3.

Simulation of time-ordered data (TOD). Given an underlying “true” sky map, a model of the instrument as well as its attitude as a function of time, and a noise model, we need to compute the simulated output time streams from each of the detectors. This can be done with a scattering-matrix model for each of the instrument components. This step is not computationally intensive, and code is already largely developed.

TOD \rightarrow Visibility-space “map.” The raw data from an interferometer is a set of visibilities, which are essentially samples of the Fourier transform of the map, convolved with the primary beam.³ Because the data are contaminated by correlated noise, the optimal recovery of a Fourier-domain visibility map from the TOD is nontrivial; however, efficient parallelized algorithms such as MADMap [60], originally developed for traditional imaging systems, can be adapted for this purpose.

Power Spectrum Estimation. We wish to determine the maximum-likelihood power spectrum for a given visibility data vector. Once again, standard codes for imaging systems, which have been parallelized and made publicly available, can be adapted to apply to visibility data.

Visibility data \rightarrow Image. The primary science goal of a CMB experiment is the power spectrum, which can be computed entirely in the visibility domain, without ever constructing a real-space image of the observed map. However, in order to check for errors or foreground contamination in the data, we will surely want to produce actual images from the visibility data. In addition, some CMB studies search for signals beyond merely the power spectrum and so

³In principle we should work with spherical harmonic transforms rather than Fourier transforms, but for the relatively small fields of view considered by MBI Fourier transforms are adequate, even when many fields of view are mosaicked together [61].

require real images.

In principle, one can go from visibility space to a real-space image simply by performing an inverse Fourier transform. This is of course computationally trivial and is likely to be useful for quick-look diagnoses of the data. However, because the Fourier plane is not generally fully sampled, and because of the complicated noise properties of the data, the images recovered in this way are unlikely to be adequate for a final analysis.

In traditional radio astronomy, the most common image recovery technique is the CLEAN algorithm [62]. Unfortunately, this algorithm is well-suited to sources with sharp features, not to the diffuse nearly-Gaussian structure of CMB maps. We plan instead to use maximum-entropy image reconstruction, which has been well-developed in the CMB context [63]. Note that maximum-entropy is a nonlinear method, so the error properties of the resulting maps may be non-Gaussian and complicated. It is therefore extremely important to simulate this step in the analysis.

3.3 Component separation

The simulations described in the preceding section will be our primary initial focus. Over a longer time scale, we plan to develop code to test other aspects of the MBI data analysis and to address other problems in CMB data analysis. Chief among these is the problem of component separation.

As MBI-16 and eventually EPIC attempt to characterize B polarization, the issue of component separation (i.e., removal of foregrounds) will be crucial. Both blind techniques (e.g., independent component analysis) and those based on fitting to foreground templates have been proposed for CMB component separation, but few have been adapted to the case of interferometric data. An extremely interesting question is whether these techniques are best applied in visibility space or in a real-space image produced by, e.g., maximum-entropy reconstruction. We plan to develop algorithms to address these questions. Because this work will require development of code from scratch (as opposed to adapting existing code), we anticipate seeking funding for a full-time postdoctoral researcher to work on this project.

3.4 Role of Senior Personnel in Astrophysics

Co-PI Bunn will lead the computational astrophysics research, with extensive support from senior personnel Timbie and Tucker. The Richmond, Wisconsin, and Brown research groups have collaborated closely for the past several years in the development of analysis and simulation code for MBI/EPIC. Much of the development has been done by graduate students in the Wisconsin and Brown research groups. If we acquire a new computing cluster at Richmond, the primary role of Timbie and Tucker will be to supervise members of the Wisconsin and Brown groups, who will work closely with Bunn to adapt their code to the new cluster and to design and perform the required simulations.

In the past, the close collaboration among the three groups has been facilitated by weekly teleconferences and regular face-to-face meetings (supported by NASA and NSF funds). We expect this pattern to continue in the future.

As mentioned above, we plan to seek funding in the next few years for a postdoc to work full-time on analysis and simulation issues. This postdoc would be based primarily in Richmond but would work closely with the other groups and spend large amounts of time at Brown and Wisconsin.

4 Research Instrumentation Needs

We request in this proposal funds for the purchase of a cluster of fifty, dual-CPU computers supported by 5.0 terabyte of disk storage and associated hardware and software to increase the productivity of our research efforts at the University of Richmond and to train our undergraduates in modern analysis methods. We describe the current resources available to our group and our computational needs and present a detailed rationale for the proposed system.

4.1 Current Computing Facilities

The current computer system in the Nuclear and Particle Physics Group includes a computing cluster developed in 2001 with NSF and University funds plus an array of computers for software development and non-CPU-intensive calculations and analysis. The system now consists of 34 machines running the Linux operating system and 3 TByte of RAID storage (most nodes are 1.4 GHz machines). Each machine has 18 GByte of disk space and 256 MByte of memory. The entire system resides on its own subnet, and another machine handles all incoming network traffic and security. It resides in a laboratory with a 50-ton, 60,000-BTU air conditioner, an upgraded electrical panel, and a connection to the building's backup power. Nearby rooms provide space for workstations and our students.

The system we now have is near the end of its useful life. We started out with 49 remote nodes and one master and added five new ones over the years. Only 29 of the original remote nodes still work. The usual failure modes are a dead disk drive or a burned out power supply. We have replaced some of these components to resurrect nodes and swapped parts to keep them going. We have also replaced the master node, fileserver, and several power supplies in the RAID. It is worth considering the experience at JLab with a very large computing farm with several hundred nodes. They have found that if a node has problems after 2-1/2 years it is not cost effective to fix it and they replace it. All nodes on the JLab farm are replaced after four years of use. The Richmond cluster is now almost six years old.

4.2 Nuclear Physics Computing Needs

The nuclear physics projects described in this proposal all have considerable computing demands. These demands involve the simulation of the CLAS detector to generate publication-quality acceptance functions and adequate disk space and CPU power to perform "second-pass" analysis of the data. To estimate the CPU demands for simulating the CLAS consider the recent experience with the analysis of deuteron structure functions described in Section 2.1. One simulation required 40 million Monte Carlo events for a single beam energy and toroidal magnetic field setting of CLAS. The typical event simulation rate in the package GSIM (the CLAS simulation software) is about 2 Hz on each remote node. The current cluster will take about 6 cluster-days⁴ to complete this simulation; the calendar time can be longer because of competition from other users. The proposed cluster will reduce that time down to about one day. The JLab facilities are heavily subscribed, and our existing cluster is aging and falling short. To close this gap additional computing power is necessary. The cluster proposed here will reduce the demand on the Jefferson Lab cluster, speed the calculation of the CLAS acceptance, and complete the analysis of the CLAS data.

We have learned several lessons from our previous experience. The major bottleneck in our data analysis is the speed of the current switch (about 100 Mbps). When we start an analysis run, the data are copied from the RAID to the remote nodes. We have to slow down the analysis so the data rate through the switch does not get too high because so many nodes are trying to

⁴A cluster-day is 24 hours of time on the existing cluster with no competing calculations being performed.

copy files from the RAID out to the cluster. This bottleneck makes it difficult for multiple users to take full advantage of the system. The switch in the proposed system will be 10 times faster.

The disk needs are large for general storage and on the remote nodes. We currently use 2.5 TBytes of storage on the existing RAID out of the 3.0 TBytes available. If we add the astrophysics users and continue to perform extensive simulations those storage demands will only increase. On the remote nodes, when we analyze real data or Monte Carlo data it is more efficient to temporarily store the data on those nodes if the analysis requires repeated runs through the same data set. We save the time to copy data from the RAID onto the individual nodes. This requires adequate storage on the remote nodes. To summarize, we need more and faster remote nodes, a faster switch to reduce the bottleneck of moving data to the remote nodes, and adequate long-term storage and disk space on the remote nodes.

4.3 Astrophysics Computing Needs

We now assess the computational requirements to perform the proposed astrophysics simulations. For the estimates below, we will assume a month-long flight of a balloon-borne MBI-16, observing 1000 square degrees of sky with a 5° field of view in each pointing. With these parameters, the total number of samples in the time-ordered data (TOD) is $N_{tod} \simeq 3 \times 10^8$. The number of independent visibilities, which is also the approximate number of independent pixels in the final map, is $N_v \simeq N_{pix} \simeq 1 \times 10^4$. As described in detail below, the proposed equipment has 100 2.2-GHz CPUs with 2.2 GB of RAM at each node.

The memory requirements for the algorithms below will be satisfied by the proposed cluster. The time-ordered data is always computed and read in relatively small chunks. The largest matrices are $N_v \times N_v$, which can be stored in the 2 GB of RAM in a single node of our proposed equipment; however, even these matrices are all sparse and almost never need to be stored in memory at a single node. We therefore focus on time requirements, not memory.

We now consider the most computationally intensive steps in the proposed simulations.

TOD \rightarrow visibilities. The scaling properties of standard map-making algorithms are non-trivial. We can estimate the time required for this step by comparing with the 2003 flight of the BOOMERanG telescope [64], which had similar values of N_{tod} and N_{pix} to our benchmark parameters. (This experiment is not interferometric, but the algorithm for producing an interferometric visibility-space map is similar to that for a real-space map in an imaging experiment.) They required 20 min to produce a single map with 128 450 MHz processors. Scaling to our equipment specifications, we should be able to generate one visibility map in 5 min.

Power spectrum estimation. Naive power spectrum algorithms require $O(N_v^3)$ time to compute a single likelihood, which makes searching a many-dimensional likelihood parameter space seem prohibitively expensive. Fortunately, a few important insights in the past decade have improved on that estimate. First, the visibility-space covariance matrix is quite sparse: only a fraction $f_s \simeq 0.02$ of the entries are nonzero, leading to a savings of $f_s^{-3/2} \simeq 350$ in computing time [65]. Second, Monte Carlo Markov chains (MCMC) can be used to replace a search of the entire likelihood parameter space for a maximum [66]. Typically, only a few thousand likelihoods need to be evaluated for each MCMC.

Hobson & Masingier [65] implemented an MCMC algorithm for interferometric data and performed benchmarks. For $N_v = 5000$, they found that a single likelihood evaluation required 30 s of 1-GHz processor time. Scaling to our parameters, we estimate that we can evaluate a single likelihood in about 1 second. A typical MCMC will therefore take roughly one hour.

Maximum Entropy Image Reconstruction. The scaling properties of CMB maximum-entropy algorithms to the large data sets considered here are not well-known. Each calculation of the quantity to be maximized includes a calculation of the χ^2 . Since the noise covariance matrix

is not diagonal (but is quite sparse), the time required for this step is nontrivial. As it happens, though, the matrix operations required for this operation are quite similar to those required for a single likelihood evaluation of the power spectrum (see above). We expect that the number of entropy evaluations to find the maximum is of order 10^4 , meaning that a maximum-entropy map should take a time of the same order of magnitude as a MCMC likelihood evaluation.

The key goal of these simulations is to assess the statistics of the errors in these analysis methods. This requires a significant number of simulations to be performed. Since the slowest steps we wish to perform have time scales of hours, we can perform hundreds of simulations in a reasonable time scale with the proposed equipment.

4.4 Proposed System

We now describe the proposed system that will satisfy our computational needs. The components are listed in Table 1. A detailed quote for items 1-6 is in the supplementary documents from the vendor LinuxLabs. Below we discuss our reasoning behind the choice of the different components.

Item	Number	Description	Price(\$)
1	1	Dual Opteron master node, 2.2 GHz, 4 GByte RAM, 5 TByte RAID	17,100
2	49	Remote nodes, 2.2 GHz, 2 GByte RAM, 160 GByte storage	192,521
3	1	HP Procurve switch	16,000
4	5	UPS - 5 minutes	34,635
5	5	cabinets	6,039
6	1	Nimbus OS license, installation, and warranty	21,942
7	-	Hardware items that cost less than \$500	1,100
		Total Cost	289,337

Table 1: Proposed computer cluster description and cost (see quote in supplementary documents for more details).

The dual-Opteron processors (item 1) were chosen because of their excellent cost-to-benefit ratio. Their clock speed is about 50% faster than the speed of most of the current remote nodes, and architectural improvements make them 4-5 times faster than most of the remote nodes in the existing cluster. The Opteron processor does substantially more computations per clock cycle. The Linux operating system is a research-quality operating system that is commonplace in nuclear physics and astrophysics. The number of machines was chosen to reduce the time to for simulating the CLAS response to a reasonable value. To generate and analyze 40 million events, we estimate about 1 day compared with the time required for the existing cluster (about 6 days) for such a calculation. The astrophysics projects require hundreds of power spectrum estimations and maximum entry reconstructions which each take about a CPU-hour. The memory (2 GByte for each node) is needed because the reconstruction and simulation packages for the nuclear physics work use large amounts of memory and the astrophysics simulations work with large matrices. A 160-GByte hard drive (item 2) will be attached to each machine to provide storage. This space is needed to store data files for analysis, the output of the GSIM simulations to be analyzed by the reconstruction code, and the results of the astrophysical analysis. The fast ethernet switch (item 3) is needed to speed data transfer over the network (see Section 3.2). Backup power supplies (item 4) will prevent damage to the system in the event of a sudden power loss. The supercomputing laboratory has backup power, but there is a lag between power loss and the switch to backup

power. Cabinets will hold the nodes (item 5). Hardware and software installation is required (item 6). The software for managing the cluster and submitting batch jobs is Nimbus Beowulf from Linux Labs in Atlanta, GA. This is the vendor who built the current cluster, and we have had a long relationship with them. A variety of other components each costing less than \$500 (cables and tools) are included in item 7. We expect the system to have a 4-6 year lifetime. Our experience at Richmond and at JLab suggests that remote nodes will gradually fail over time and that four years is the optimum lifetime. See Section 4.1 for more details.

5 Impact of Project on Teaching and Research

This project will have a significant impact on the development of our students at Richmond and the institutions of the other senior personnel. We describe here the environment at Richmond, how the instrument will be used to train our students, and the impact at those other institutions.

The University of Richmond is a private, highly-selective, primarily-undergraduate, liberal arts institution in Richmond, Virginia with about 3000 undergraduates. A \$36M expansion and renovation of the Gottwald Science Center was completed in spring 2006. All of the teaching and research spaces in Physics were renovated, and two new faculty positions were added in Physics (one instructor position and one tenure line). The Department of Physics consists of seven teaching faculty and graduates about 4-8 physics majors each year. The faculty are active in experimental nuclear physics, astrophysics, experimental and theoretical nuclear structure physics, surface and nano-physics, biological physics, and homeland security. There is considerable external support from the Department of Energy (two grants), the National Science Foundation (two grants), and NASA (one grant). We emphasize undergraduate involvement in research from early in the students' careers. Students who are involved in undergraduate research are more likely to attend graduate school and to be successful after college [67].

We have been successful at starting our undergraduates on their research careers. In the summer of 2006 fifteen of our physics majors participated in research at Richmond, JLab, Yale University, and the University of Notre Dame. Our students have accomplished much in their research careers. Eighteen have given presentations on their work at local, national, and international meetings in the last year. The students in the nuclear physics and astrophysics groups have given four presentations in the last year and thirteen over the last 2-3 years [68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80]. Two of our graduates from 2006 are now attending graduate school in physics (Johns Hopkins University and the University of Kentucky) and three have gone into industry including one in the defense industry. Three more students from our nuclear physics group presented posters at the fall 2006 meeting of the Division of Nuclear Physics (DNP) of the American Physical Society as well as another six students from the experimental and theoretical nuclear structure groups at Richmond. The students in our group obtained travel support in fall 2005 and again in fall 2006 from the Conference Experience for Undergraduates program of the DNP. We have also been successful in attracting under-represented groups to work in our nuclear physics group. Of the four students who worked in our nuclear physics laboratory over the last two summers, two were women and two were African-American men.

The nuclear physics and astrophysics groups each year involve 5-6 students in research. They are integral parts of our research efforts and are deeply involved in many aspects of the physics programs. They receive training in sophisticated analysis methods for extracting signals from complex backgrounds, a range of programming languages (C, C++, FORTRAN, Perl, and IDL), and the Linux operating system. They also learn modern supercomputing methods and are submitting batch jobs to our existing cluster. They have developed their own Perl codes to control the submission of jobs, perform housekeeping in their own directories, and collect the results of the calculations at the end of the submission. It is worth noting that for the students

working on JLab physics, this is the best chance they have of getting involved in this type of sophisticated data analysis. The computing farm at JLab is heavily used, and it routinely takes a day or more to get a batch job started. Such a long turnaround time is a barrier to learning and productivity, especially for undergraduates who may have only ten weeks in the summer to work on a project. On the Richmond cluster the turnaround time is typically less. Our Richmond students have performed simulations of the complex CLAS detector [75], analyzed hundreds of gigabytes of data from our experiments discussed in Section 2[68, 70, 72, 74], and made tens of thousands of fits to extract fiducial cuts used to select good events [69, 71, 73, 76]. They are involved in all parts of the analysis.

The astrophysics students have developed a large code base for simulating CMB sky maps and performing a wide variety of statistical analyses on them, including a variety of tests for non-Gaussianity as well as techniques based on wavelet and radon transforms. In the past, we have been able to perform this research on individual workstations, but we have reached the point where a more powerful computing cluster is necessary for further progress. Access to a cluster will be an invaluable resource for these students in their scientific training.

We have also recruited computer science students to help with administration of the cluster. Their duties can range from developing Perl scripts to managing batch jobs, to setting up firewalls to make the system more secure, to maintaining software. Like our other students they have presented their work at national meetings [81, 82].

The project will benefit a significant number of students beyond the University of Richmond. The groups at Union and Ohio together include a postdoctoral fellow, 1-3 graduates students, and many undergraduates. The astrophysics research groups headed by Timbie at Wisconsin and Tucker at Brown typically have a postdoctoral fellow, several graduate students, and sometimes undergraduates working on data analysis and simulation issues.

6 Project Management Plans

The system will be managed at least initially in the same manner the existing cluster is used now. Users will log into the master node to edit, compile, link, test, and execute their codes. They will submit jobs to the cluster from the master. All of students involved in the project, undergraduate and graduate, will have accounts on the master and be able to submit jobs.

The expertise exists in the University of Richmond nuclear and astro-physics groups to operate and maintain the proposed computer cluster. One of us (Gilfoyle) is responsible for maintaining the existing systems, and we all have experience with the Linux operating system. All members of our group have considerable software experience in general and with the codes used by CLAS and in astrophysics. The University administration has adequately supported our research efforts in the past and is committed to continuing to support the University's technology infrastructure. One member of the University's Information Services is a Linux expert who devotes half of his time to academic projects. He is responsible now for keeping the CLAS software up-to-date, updating the Linux software on the cluster and in our laboratory, and general troubleshooting. Finally, we have modeled many features of the proposed computer cluster after existing ones at Jefferson Lab or within the CLAS collaboration. There is a significant amount of expertise within the collaboration that we can call on. The anticipated operating costs are for power and Linux support staff. The University has covered those costs for the existing cluster since 2001 and will continue to do so.

The laboratory that will hold the cluster is complete and in regular use now. It has adequate electrical power and cooling for the proposed instrument. It is described in more detail in Section 4.1. The usage of the current clusters runs anywhere from 10 cluster-hours/week to over 100 cluster-hours/week if many simulations of the CLAS detector are required. The average is around

20-30 cluster-hours/week averaged over a full year with higher demand during the summer. We expect this average demand to increase with the proposed instrument. It will be faster and more reliable, and we have added the astrophysics component to the program. Over the last six years the downtime averages out to 3-4 days per month due to failed components, power outages, *etc.* The rate of failed components has, not surprisingly, increased recently as the system ages.

Currently we informally allocate time on the existing cluster. Users submit jobs when the cluster is open or work out a schedule with the other users. We also partition off subsets of the remote nodes for particular calculations. If demand is high, the Nimbus operating system from LinuxLabs has tools for queuing jobs.

We have attracted numerous other users from JLab. There are currently accounts for fifteen users from the CLAS Collaboration and other groups at JLab including the senior personnel in nuclear physics described in Section 2.5. We expect that we will have little trouble attracting new users to the proposed instrument.

See the letter from the University of Richmond dean in the supplementary materials committing the University to support instrument maintenance, operations, and housing.

7 Dissemination Plan

The work described above will be the subject of internal technical reports at JLab and ultimately publication in refereed journals. Our students will use their results as a springboard into their technical careers by presenting posters and talks at national and international meetings.

8 Results from Prior NSF Support

An NSF Major Research Instrumentation grant in 2001 provided funds (along with \$24,000 in matching funds from the University) to purchase the existing cluster in our nuclear physics laboratory at Richmond. The title of the proposal was “RUI: Development of a Computing Cluster to Support the University of Richmond Nuclear Physics Research Program at Jefferson Lab” (#6030194) for \$151,758 and for the period 6/01/2001 - 5/31/2003. Dr. M.F. Vineyard (one of the senior personnel in nuclear physics) was a co-PI on that project. All of the Richmond work described in this proposal has made heavy use of the cluster (see Section 2) with the other JLab users. A CLAS technical note on radiative corrections has been published [24] and the measurement of the deuteron structure functions (Section 2.1) is nearing completion and was the subject of a recent contributed talk [85]. A CLAS technical note on the G_M^n measurement is under Collaboration review. All the Richmond students used the cluster [68, 69, 70, 71, 72, 73, 74, 75, 76, 81, 82]. Calculations run on the cluster also led to two more CLAS technical reports by Jenkins [86, 87].

Co-PI Bunn is currently supported by NSF grant AST-0507395, “RUI: Cosmic microwave background analysis in the Post-WMAP era.” This grant is for \$110,000 over the period from 2005-2008. It has supported Bunn’s recent work on two projects that are particularly relevant to this proposal: the development of a detailed framework for analyzing systematic errors in CMB interferometry [59] and a formalism for analyzing mosaicked interferometric observations [61]. In addition, it has supported work on dust contamination in CMB maps by Bunn and undergraduate Gary Larson, work by Bunn on probing the largest-scale perturbation modes in the Universe with Sunyaev-Zel’dovich measurements in distant galaxy clusters [83], and an analysis of the astrophysical constraints on alternative “ $f(R)$ ” theories of gravity [84]. This grant has led to two refereed publications (Astrophys. J. and Phys. Rev. D), two papers currently under consideration in Phys. Rev. D, and three contributed presentations at national meetings of the American Astronomical Society, including one presentation by undergraduate Larson.

References

- [1] G.P. Lepage and S.J. Brodsky, “Exclusive processes in perturbative quantum chromodynamics”, Phys. Rev. D **22**, 2157 (1980).
- [2] R. Gupta, “Introduction to Lattice QCD”, hep-lat/9807028, (1998).
- [3] “Opportunities in Nuclear Science: A Long-Range Plan for the Next Decade”, DOE/NSF Nuclear Science Advisory Committee, April 2002.
- [4] M. D. Mestayer *et al.*, “The CLAS Drift Chamber System”, Nucl. Inst. and Meth. **A449**, 81 (2000).
- [5] G. Adams *et al.*, “The CLAS Cerenkov Detector”, Nucl. Instr. and Meth. **A465**, 414 (2001).
- [6] E.S. Smith *et al.*, “The Time-of-Flight System for CLAS”, Nucl. Inst. and Meth. **A432**, 265 (1999).
- [7] M. Amarian *et al.*, “The CLAS Forward Electromagnetic Calorimeter”, Nucl. Instr. and Meth. **A460**, 239 (2001).
- [8] S.Gilad, W. Bertozzi, and Z.-L. Zhou, “New observables in $^2\text{H}(e, e'p)n$ ”, Nucl. Phys. **A631**, 276 (1998) and references therein.
- [9] A. Klimenko, S.E. Kuhn, P.E. Bosted, K.V. Dharmawardane, G.E. Dodge, T.A. Forest, Y. Prok, G. Adams, M. Amarian, P. Ambrozewicz, M. Anghinolfi, G. Asryan, H. Avakian, H. Bagdasaryan, N. Baillie, J.P. Ball, N.A. Baltzell, S. Barrow, V. Batourine, M. Battaglieri, K. Beard, I. Bedlinskiy, M. Bektasoglu, M. Bellis, N. Benmouna, A.S. Biselli, B.E. Bonner, S. Bouchigny, S. Boiarinov, R. Bradford, D. Branford, W.K. Brooks, S. Buhlmann, V.D. Burkert, C. Butuceanu, J.R. Calarco, S.L. Careccia, D.S. Carman, B. Carnahan, A. Cazes, S. Chen, P.L. Cole, P. Collins, P. Coltharp, D. Cords, P. Corvisiero, D. Crabb, H. Crannell, V. Crede, J.P. Cummings, R. De Masi, R. DeVita, E. De Sanctis, P.V. Degtyarenko, H. Denizli, L. Dennis, A. Deur, C. Djalali, J. Donnelly, D. Doughty, P. Dragovitsch, M. Dugger, S. Dytman, O.P. Dzyubak, H. Egiyan, K.S. Egiyan, L. Elouadrhiri, P. Eugenio, R. Fatemi, G. Fedotov, R.J. Feuerbach, H. Funsten, M. Garcon, G. Gavalian, G.P. Gilfoyle, K.L. Giovanetti, F.X. Girod, J.T. Goetz, E. Golovatch, A. Gonenc, R.W. Gothe, K.A. Griffioen, M. Guidal, M. Guillo, N. Guler, L. Guo, V. Gyurjyan, C. Hadjidakis, K. Hafidi, R.S. Hakobyan, J. Hardie, D. Heddle, F.W. Hersman, K. Hicks, I. Hleiqawi, M. Holtrop, M. Huertas, C.E. Hyde-Wright, Y. Ilieva, D.G. Ireland, B.S. Ishkhanov, E.L. Isupov, M.M. Ito, D. Jenkins, H.S. Jo, K. Joo, H.G. Juengst, C. Keith, J.D. Kellie, M. Khandaker, K.Y. Kim, K. Kim, W. Kim, A. Klein, F.J. Klein, M. Klusman, M. Kossov, L.H. Kramer, V. Kubarovsky, J. Kuhn, S.V. Kuleshov, J. Lachniet, J.M. Laget, J. Langheinrich, D. Lawrence, Ji Li, A.C.S. Lima, K. Livingston, H. Lu, K. Lukashin, M. MacCormick, J.J. Manak, N. Markov, S. McAleer, B. McKinnon, J.W.C. McNabb, B.A. Mecking, M.D. Mestayer, C.A. Meyer, T. Mibe, K. Mikhailov, R. Minehart, M. Mirazita, R. Miskimen, V. Mokeev, L. Morand, S.A. Morrow, M. Moteabbed, J. Mueller, G.S. Mutchler, P. Nadel-Turonski, J. Napolitano, R. Nasseripour, S. Niccolai, G. Niculescu, I. Niculescu, B.B. Niczyporuk, M.R. Niroula, R.A. Niyazov, M. Nozar, G.V. O’Rielly, M. Osipenko, A.I. Ostrovidov, K. Park, E. Pasyuk, C. Paterson, S.A. Philips, J. Pierce, N. Pivnyuk, D. Pocanic, O. Pogorelko, E. Polli, S. Pozdniakov, B.M. Preedom, J.W. Price, D. Protopopescu, L.M. Qin, B.A. Raue, G. Riccardi, G. Ricco, M. Ripani, F. Ronchetti, G. Rosner, P. Rossi, D. Rowntree, P.D. Rubin, F. Sabatie, C. Salgado, J.P. Santoro, V. Sapunenko, R.A. Schumacher, V.S. Serov, Y.G. Sharabian, J. Shaw, N.V. Shvedunov, A.V.

- Skabelin, E.S. Smith, L.C. Smith, D.I. Sober, A. Stavinsky, S.S. Stepanyan, S. Stepanyan, B.E. Stokes, P. Stoler, S. Strauch, R. Suleiman, M. Taiuti, S. Taylor, D.J. Tedeschi, U. Thoma, R. Thompson, A. Tkabladze, S. Tkachenko, L. Todor, C. Tur, M. Ungaro, M.F. Vineyard, A.V. Vlassov, L.B. Weinstein, D.P. Weygand, M. Williams, E. Wolin, M.H. Wood, A. Yegneswaran, J. Yun, L. Zana, J. Zhang, B. Zhao, and Z. Zhao (the CLAS Collaboration), *Phys. Rev. C* **73**, 035212 (2006).
- [10] PAC 14 Few-Body Workshop, JLab Program Advisory Committee, Williamsburg, VA, July, 1998.
 - [11] S.Jeschonnek, private communication.
 - [12] H.Arenhoevel, private communication.
 - [13] J.M.Laget, private communication.
 - [14] G.P. Gilfoyle, W.K. Brooks, B.A. Mecking, S.E. Kuhn, L.B.Weinstein, and M.F. Vineyard, “Out-of-Plane Measurements of the Structure Functions of the Deuteron”, CLAS Approved Analysis (2003).
 - [15] M.N. Rosenbluth, “High Energy Elastic Scattering of Electrons on Protons”, *Phys. Rev.* **79**, 615 (1950).
 - [16] M.Diehl, “Introduction to Generalized Parton Distributions”, wwwcompass.cern.ch/compass/publications/2004_yellow/Body/diehl_new.pdf, last accessed Sep 4, 2006.
 - [17] J.D. Ashley, D.B. Leinweber, A.W. Thomas, and R.D.Young, “Nucleon electromagnetic form factors from lattice QCD”, *Eur. Phys. J A* **19** s01, 9 (2004).
 - [18] C.E. Hyde-Wright and K.deJager, “Electromagnetic Form Factors of the Nucleon and Compton Scattering”, *Ann. Rev. Nucl. Part. Sci.* **54**, 217 (2004).
 - [19] W. Brooks and M.F. Vineyard, “The Neutron Magnetic Form Factor from Precision Measurements of the Ratio of Quasielastic Electron-Neutron to Electron-Proton Scattering in Deuterium”, Jefferson Lab Experiment E94-017 1994.
 - [20] J.D. Lachniet, “A High Precision Measurement of the Neutron Magnetic Form Factor Using the CLAS Detector”, thesis, Carnegie Mellon University.
 - [21] “Office of Science Strategic Plan, February, 2004”, US Department of Energy Office of Science, February, 2004.
 - [22] “Measurement of the Neutron Magnetic Form Factor at High Q^2 Using the Ratio Method in Deuterium”, G.P. Gilfoyle, M.F. Vineyard, S.E. Kuhn, J.D. Lachniet, L.B.Weinstein, K. Hafidi, M. Holtrop, M. Garcon, Jefferson Lab Letter-of-Intent LOI-12-06-107 (2006).
 - [23] “Quark Propagation and Hadron Formation”, K. Hafidi, J.Arrington, L. El Fassi, D.F. Geesaman, R.J. Holt, B. Mustapha, D.H. Potterveld, P.E.Reimer, P. Solvignon, K. Joo, M. Ungaro, G. Niculescu, I. Niculescu, W.K. Brooks, M. Holtrop, K. Hicks, T. Mibe, L.B. Weinstein, M. Wood, G.P. Gilfoyle, H. Hakobyan, Jefferson Lab Experiment PR-12-06-117 (2006).
 - [24] G.P. Gilfoyle and A. Afanasev, “Radiative Corrections for Deuteron Electro disintegration”, CLAS-Note 2005-022, October 31, 2005.

- [25] J.Schwinger, “Quantum Electrodynamics. III. The Electromagnetic Properties of the Electron - Radiative Corrections to Scattering”, *Phys. Rev.*, **76**, 790 (1949).
- [26] L.W.Mo and Y.S.Tsai, “Radiative Corrections to Elastic and Inelastic ep and up Scattering”, *Rev. Mod. Phys.*, **41**, 205 (1969).
- [27] A.Afanasev, I.Akushevich, V.Burkert, and K.Joo, “QED radiative corrections in processes of exclusive pion electroproduction ”, *Phys.Rev.*, **D66**, 074004, 2002.
- [28] J.Adam, Jr., F.Gross, S.Jeschonnek, P.Ulmer, and J.W. Van Orden, “Covariant description of inelastic electron-deuteron scattering: Predictions of the relativistic impulse approximation”, *Phys. Rev. C*, **66**, 044003 (2002).
- [29] “Pre-Conceptual Design Report (pCDR) for The Science and Experimental Equipment for The 12 GeV Upgrade of CEBAF”, Jefferson Lab report 2004.
- [30] M.F. Vineyard, “Inclusive η Photoproduction in Nuclei”, Jefferson Lab Experiment E93-008 1993.
- [31] K. Hicks, M. Mestayer, “Measurement of the Structure Functions for Kaon Electroproduction”, Jefferson Lab Experiment E93-030 1993.
- [32] K. Hicks, S. Stepanyan, “Investigation of Exotic Baryons States in Photoproduction Reactions with CLAS”, Jefferson Lab Experiment E03-113 2003.
- [33] G.F. Smoot *et al.*, “Structure in the COBE differential microwave radiometer first-year maps,” *Astrophys. J. Lett.*, **396**, L1 (1992).
- [34] C.L. Bennett *et al.*, “First-Year Wilkinson Microwave Anisotropy Probe (WMAP) Observations: Preliminary Maps and Basic Results,” *Astrophys. J. Supp.*, **148**, 1 (2003).
- [35] J.M. Kovac *et al.*, “Detection of polarization in the cosmic microwave background using DASI,” *Nature*, **420**, 772 (2002).
- [36] A. Kogut *et al.*, “First-Year Wilkinson Microwave Anisotropy Probe (WMAP) Observations: Temperature-Polarization Correlation,” *Astrophys. J. Supp.*, **148**, 161 (2003).
- [37] L. Page *et al.*, “Three Year Wilkinson Microwave Anisotropy Probe (WMAP) Observations: Polarization Analysis,” astro-ph/0603450, submitted to *Astrophys. J.* (2006).
- [38] A.C.S. Readhead *et al.*, “Polarization Observations with the Cosmic Background Imager,” *Science*, **306**, 836 (2004).
- [39] E.M. Leitch *et al.*, “Degree Angular Scale Interferometer 3 Year Cosmic Microwave Background Polarization Results,” *Astrophys. J.*, **624**, 10 (2005).
- [40] D. Barkats *et al.*, “First Measurements of the Polarization of the Cosmic Microwave Background Radiation at Small Angular Scales from CAPMAP,” *Astrophys. J. Lett.*, **619**, L127 (2005).
- [41] W.H. Kinney, “Constraining inflation with cosmic microwave background polarization,” *Phys. Rev. D*, **58**, 123506 (1998).
- [42] M. Zaldarriaga, “Polarization of the microwave background in reionized models,” *Phys. Rev. D.*, **55**, 1822 (1997).

- [43] P.J.E. Peebles, S. Seager, and W. Hu, “Delayed Recombination,” *Astrophys. J. Lett.*, **539**, L1 (2000).
- [44] M. Zaldarriaga and U. Seljak, “Gravitational lensing effect on cosmic microwave background polarization,” *Phys. Rev. D*, **58**, 023003 (1998).
- [45] M. Zaldarriaga and U. Seljak, “All-sky analysis of polarization in the microwave background,” *Phys. Rev. D*, **55**, 1830 (1997).
- [46] M. Kamionkowski, A. Kosowsky, and A. Stebbins, “Statistics of cosmic microwave background polarization,” *Phys. Rev. D*, **55**, 7368 (1997).
- [47] J. Bock, S. Church, M. Devlin, G. Hinshaw, A. Lange, A. Lee, L. Page, B. Partridge, J. Ruhl, M. Tegmark, P. Timbie, R. Weiss, B. Winstein, & M. Zaldarriaga, Task Force on Cosmic Microwave Background Research, available at <http://arxiv.org/abs/astro-ph/0604101> (2006).
- [48] Astronomy & Astrophysics Survey Committee (National Research Council), *Astronomy & Astrophysics in the New Millennium*, National Academies Press (2001).
- [49] Committee on the Physics of the Universe (National Research Council), *Connecting Quarks with the Cosmos: 11 Science Questions for the New Century*, National Academies Press (2003).
- [50] <http://universe.nasa.gov/program/probes.html>
- [51] P. Timbie *et al.*, “The Einstein Polarization Interferometer for Cosmology (EPIC) and the Millimeter-wave Bolometric Interferometer (MBI),” to appear in Proceedings of the Fundamental Physics with CMB Workshop, UC Irvine, *New Astron. Rev.*, 50, 999 (2006).
- [52] A.L. Korotkov *et al.*, “The millimeter-wave bolometric interferometer,” *Proc. SPIE, Millimeter and Submillimeter Detectors and Instrumentation for Astronomy III*; Jonas Zmuidzinas *et al.*, eds., **6275**, 285 (2006).
- [53] W. Hu, M.M. Hedman, and M. Zaldarriaga, “Benchmark parameters for CMB polarization experiments,” *Phys. Rev. D*, **67**, 043004 (2003).
- [54] L. Knox and Y.-S. Song, “Limit on the Detectability of the Energy Scale of Inflation,” *Phys. Rev. Lett.*, **89**, 011303 (2002).
- [55] A. Lewis, A. Challinor, and N. Turok, “Analysis of CMB polarization on an incomplete sky,” *Phys. Rev. D*, **65**, 023505 (2002).
- [56] E.F. Bunn, “Detectability of Microwave Background Polarization,” *Phys. Rev. D*, **65**, 043003 (2002). See also erratum at *Phys. Rev. D*, **66**, 069902 (2002).
- [57] E.F. Bunn, M. Tegmark, M. Zaldarriaga, and A. de Oliveira-Costa, “E/B decomposition of finite pixelized CMB maps,” *Phys. Rev. D*, **67**, 203501 (2003).
- [58] C.-G. Park and K.-W. Ng, “E/B Separation in Cosmic Microwave Background Interferometry,” *Astrophys. J.*, **609**, 15 (2004).
- [59] E.F. Bunn, “Systematic Errors in Cosmic Microwave Background Interferometry,” *astro-ph/0607312*, submitted to *Phys. Rev. D* (2006).
- [60] <http://crd.lbl.gov/~borrill/cmb/madcap/>

- [61] E.F. Bunn and M. White, “Mosaicking with Cosmic Microwave Background Interferometers,” *Astrophys. J.*, 655, 21 (2007).
- [62] J. Högbom, “Aperture Synthesis with a Non-Regular Distribution of Interferometer Baselines,” *Astron. Astrophys. Supp.*, **15**, 417 (1974).
- [63] K. Maisinger, M.P. Hobson, and A. Lasenby, “A maximum entropy method for reconstructing interferometer maps of fluctuations in the cosmic microwave background radiation,” *Mon. Not. R. Astron. Soc.*, **290**, 313 (1997).
- [64] S. Masi *et al.*, “Instrument, Method, Brightness and Polarization Maps from the 2003 flight of BOOMERanG,” *Astron. Astrophys.*, 458, 687 (2006).
- [65] M.P. Hobson and K. Maisinger, “Maximum-likelihood estimation of the cosmic microwave background power spectrum from interferometer observations,” *Mon. Not. R. Astron. Soc.*, **334**, 569 (2002).
- [66] N. Christensen, R. Meyer, L. Knox, and B. Luey, “Bayesian Methods for Cosmological Parameter Estimation from Cosmic Microwave Background Measurements,” *Class. Quant. Grav.*, **18**, 2677 (2001).
- [67] “Joint Statement of Principles of Undergraduate Research, Scholarship, and Creative Activities,” endorsed by NCUR Board of Governors, April 2005 and CUR governing board, June 2005, Council on Undergraduate Research, <http://www.cur.org/SummitPosition.html>, last accessed Sep 24, 2006, and references therein.
- [68] R.Burrell and G.P.Gilfoyle, “Momentum Corrections for the CLAS E5 Data Set”, University of Richmond Symposium, April 21, 2006.
- [69] K.Greenholt and G.P.Gilfoyle, “Fiducial Cuts on CLAS for the E5 Data Set”, *Bull. Am. Phys. Soc.*, Fall DNP Meeting, FR.0006(2005).
- [70] R.Burrell and G.P.Gilfoyle, “Momentum Corrections for the E5 Data Set”, *Bull. Am. Phys. Soc.*, Fall DNP Meeting, FR.00068(2005).
- [71] K.Greenholt and G.P.Gilfoyle, “Generating Fiducial Cuts for CLAS E5”, University of Richmond Symposium, April 14, 2005.
- [72] R.Burrell and G.P.Gilfoyle, “Momentum Corrections for the CLAS E5 Data Set”, University of Richmond Symposium, April 14, 2005.
- [73] K.Greenholt and G.P.Gilfoyle, “Generating Fiducial Cuts for CLAS E5”, *Bull. Am. Phys. Soc.*, April Meeting, S.06(2005).
- [74] R.Burrell and G.P.Gilfoyle, “Momentum Corrections for the CLAS E5 Data Set”, *Bull. Am. Phys. Soc.*, April Meeting, S.07(2005).
- [75] R.Burrell, K. Gill, and G.P.Gilfoyle, “CLAS Simulations of $D(\vec{e}, e'p)n$ ”, *Bull. Am. Phys. Soc.*, Fall DNP Meeting, 3A.00012(2006).
- [76] K.Greenholt and G.P.Gilfoyle, “Hadron Fiducial Cuts for the CLAS E5 Data”, *Bull. Am. Phys. Soc.*, Fall DNP Meeting, 3A.00030(2006).

- [77] G. Larson, E.F. Bunn, V. Kasliwal, M. McCann, "Filtering Dust Contamination from CMB Data with Wavelets and Radon Transforms", American Astronomical Society Meeting, Washington, DC, January 2006.
- [78] M. McCann, E.F. Bunn, R. Chan, V. Kasliwal, "The Three-Point Correlation Function of Galactic Dust: Implications for Microwave Background Non-Gaussianity", American Astronomical Society Meeting, Denver, CO, June 2, 2004.
- [79] V. Kasliwal, E.F. Bunn, R. Chan, M. McCann, "The Bispectrum of Galactic Dust: Implications for Microwave Background Non-Gaussianity", American Astronomical Society Meeting, Denver, CO, June 2, 2004.
- [80] M. McCann, E.F. Bunn, "The Three-Point Correlation Function as an Indicator of non-Gaussianity in the Cosmic Microwave Background Radiation," University of Richmond Symposium, April 20, 2005.
- [81] F. Chinchilla, M. F. Vineyard, and G. P. Gilfoyle, "Development and Maintenance of a Linux Computing Cluster", poster presented at the Conference Experience for Undergraduates at the Fall 2000 Meeting of the Division of Nuclear Physics of the American Physical Society, Williamsburg, VA, Oct. 4-7, 2000.
- [82] V. Davda and G.P. Gilfoyle, "Maintenance and Upgrading of the Richmond Physics Supercomputing Cluster", poster presented at the Conference Experience for Undergraduates at the Fall 2003 Meeting of the Division of Nuclear Physics of the American Physical Society, Tucson, AZ, Oct 30 - Nov 1, 2003.
- [83] E.F. Bunn, "Probing the Universe on gigaparsec scales with remote cosmic microwave background quadrupole measurements," *Phys. Rev. D*, 73, 123517 (2006).
- [84] T. Faulkner, M. Tegmark, E.F. Bunn, and Y. Mao, "Constraining $f(R)$ Gravity as a Scalar Tensor Theory," *astro-ph/0612569* (2006).
- [85] G.P. Gilfoyle, CLAS Collaboration, "Out-of-Plane Measurements of the Fifth Structure Function of the Deuteron", *Bull. Am. Phys. Soc.*, Fall DNP Meeting, DF.0001(2006).
- [86] D. Jenkins, " π^+ Acceptance Corrections for $\pi \rightarrow \mu$ Decay", CLAS Note 2004-035, June 10, 2005.
- [87] D. Jenkins, "A Comparison of Simple and Full Acceptance", CLAS Note 2004-043, June 10, 2005.

Biographical Sketch: Dr. Gerard P. Gilfoyle

Professional Preparation:

Franklin and Marshall College, Physics, A.B., 1979.
 University of Pennsylvania, Experimental nuclear physics, Ph.D., 1985.
 SUNY, Stony Brook, Postdoctoral Fellow in Experimental Heavy-Ion Physics, 1985-1987.

Appointments:

2004-present - Professor of Physics, University of Richmond.
 2002-2003 - Scientific Consultant, Jefferson Laboratory.
 2000-2006 - Chair, Department of Physics, University of Richmond.
 1999-2000 - AAAS Defense Policy Fellow.
 1994-1995 - Scientific Consultant, Jefferson Laboratory.
 1993-2004 - Associate Professor of Physics, University of Richmond.
 Summer, 1988 - Visiting Research Professor, University of Pennsylvania.
 1987-1993 - Assistant Professor, University of Richmond.

Awards and Honors:

1990-present - US Department of Energy (\$1,361,000).
 2004 - Who's Who Among America's Teachers.
 2003 - University of Richmond Distinguished Educator Award.
 2002-2003 - SURA Sabbatical Support (\$10,000).
 2001-2002 - National Science Foundation Major Research Instrumentation Program (\$175,000).
 1995-1997 - National Science Foundation, Instrumentation and Laboratory Improvement Program (\$14,986).
 1994-1995 - CEBAF Sabbatical Support (\$24,200).
 1992-1995 - National Science Foundation, Instrumentation and Laboratory Improvement Program (\$49,813).
 1989-1991 - Research Corporation (\$26,000).

Selected Publications Related to the Proposed Research:

See Reference [9] in 'References Cited' for a list of the members of the CLAS Collaborations.

1. K. Egiyan *et al.* (The CLAS Collaboration), 'Measurement of 2- and 3-nucleon short range correlation probabilities in nuclei,' Phys. Rev. Lett. **96**, 082501 (2006).
2. M. Battaglieri, R. De Vita, V. Kubarovsky *et al.* (The CLAS Collaboration), 'Search for $\theta^+(1540)$ pentaquark in high statistics measurement of $\gamma p \rightarrow \overline{K}_0 K^+ n$ at CLAS,' Phys. Rev. Lett. **96**, 042001 (2006).
3. P. Rossi, *et al.* (The CLAS Collaboration), 'Onset of asymptotic scaling in deuteron photodisintegration,' Phys. Rev. Lett., **94** 012301 (2005).
4. D. Protopopescu, *et al.* (The CLAS Collaboration), 'Survey of A'_{LT} asymmetries in semi-exclusive electron scattering on ^4He and ^{12}C ,' Nuclear Physics, **A748**, 357 (2005).
5. K. Joo, *et al.* (The CLAS Collaboration), 'Measurement of Polarized Structure Function σ'_{LT} for $p(\vec{e}, e'p)\pi^0$ from single π^0 electroproduction in the Delta resonance region,' Physical Review C, Rapid Communications, **68**, 032201 (2003).

Selected Other Publications:

See Reference [9] in 'References Cited' for a list of the members of the CLAS Collaborations.

1. B. Mecking *et al.*, (The CLAS Collaboration), 'The CEBAF Large Acceptance Spectrometer,' Nucl. Instr. and Meth., **503/3**, 513 (2003).

2. G.P.Gilfoyle and J.A.Parmentola, 'Using Nuclear Materials to Prevent Nuclear Proliferation,' Science and Global Security **9**, 81 (2001).
3. G.P.Gilfoyle, 'A New Teaching Approach to Quantum Mechanical Tunneling,' Comp. Phys. Comm., **121-122**, 573 (1999).
4. G.P.Gilfoyle, 'Alpha Decay Lab,' Mathematica in Education and Research, Vol. 4, No. 1, p. 24, Winter, 1995.
5. E.Bunn, M.Fetea, G.P.Gilfoyle, H. Nebel, P.D.Rubin, and M.F.Vineyard, 'Investigative Physics Student Guide,' Inquiry-based laboratory manual for general physics at the University of Richmond.

Synergistic Activities:

We have made broader impacts beyond the scope of this proposal. Gilfoyle served in government (1999-2000) as a scientific consultant on weapons of mass destruction for the US Department of Defense applying his physics skills to a range of policy issues. Our teaching has been illuminated by our scientific work and we have added considerably more computational methods to the upper-level physics curriculum at Richmond and incorporated more computer-based data acquisition and analysis in the introductory physics sequence with the aid of teaching grants from NSF. Finally, we have been able to attract a significant number of women and African-American students to our group in nuclear physics. One of our former female students is now a staff scientist at the Jet Propulsion Lab in California and in the last year two women and two African-American men have worked in our laboratory at Richmond. One of our current students (Greenholt) is headed for a career combining nuclear physics and public policy (she is a double major in Physics and Political Science).

List of Recent Collaborators:

See Reference [9] in 'References Cited' for a list of the members of the CLAS Collaborations. Below we list any current Collaboration members not on Reference 13 and additional collaborators.

A. Afanasev	Hampton University	J. Arrington	Argonne National Lab
E. Bunn	University of Richmond	L. El Fassi	Argonne National Lab
A. Freyberger	Jefferson Lab	M. Fetea	University of Richmond
D. F. Geesaman	Argonne National Lab	K. Hafidi	Argonne National Lab
R. J. Holt	Argonne National Lab	S. Jeschonnek	Ohio State University
P. Kroll	Universität Wuppertal	B. Mustapha	Argonne National Lab
H. Nebel	University of Richmond	D. H. Potterveld	Argonne National Lab
P. E. Reimer	Argonne National Lab	P. Rubin	George Mason University
P. Solvignon	Argonne National Lab	J.W. Van Orden	Old Dominion University
H. Arenhoevel	Institut für Kernphysik, Mainz		

Graduate and Postdoctoral Advisors

Graduate Advisor - Dr. H.T. Fortune, University of Pennsylvania.
 Postdoctoral Advisor - Dr. R.W. McGrath, SUNY, Stony Brook.

Thesis Advisor and Post-Graduate Advisor

None. The University of Richmond is a primarily undergraduate institution.

Biographical Sketch: Emory F. Bunn

Professional Preparation:

Princeton University, Physics, A.B., 1989.

U.C. Berkeley, Physics, M.A., 1993.

U.C. Berkeley, Physics, Ph.D., 1995.

U.C. Berkeley, Postdoctoral Fellow in Physics, 1995-1996.

Appointments:

2002-present - Assistant Professor of Physics, University of Richmond.

1999-2002 - Assistant Professor of Physics and Astronomy, St. Cloud State University.

1996-1999 - Assistant Professor of Physics and Astronomy, Bates College.

Selected Publications Related to the Proposed Research:

1. E.F. Bunn and M. White, "Mosaicking with Cosmic Microwave Background Interferometers," *Astrophys. J.*, 655, 21 (2007).
2. A.L. Korotkov, J. Kim, G.S. Tucker, A. Gault, P. Hyland, S. Malu, P.T. Timbie, E.F. Bunn, E. Bierman, B. Keating, A. Murphy, C. O'Sullivan, P.A.R. Ade, C. Calderon, and L. Piccirillo, "The Millimeter-wave Bolometric Interferometer," *Millimeter and Submillimeter Detectors and Instrumentation for Astronomy III* (J. Zmuidzinas *et al.*, eds.), *Proc. SPIE*, 6272, 62750X (2006).
3. E.F. Bunn, M. Zaldarriaga, M. Tegmark, and A. de Oliveira-Costa, "E/B Decomposition of Finite Pixelized CMB Maps," *Phys. Rev. D*, 67, 023501 (2003).
4. E.F. Bunn, "Detectability of Microwave Background Polarization," *Phys. Rev. D*, 65, 043003 (2002).
5. E.F. Bunn and M. White, "The Four-Year COBE Normalization and Large-Scale Structure," *Astrophys. J.*, 480, 6 (1997).

Selected Other Publications:

1. E.F. Bunn, "Probing the Universe on Gigaparsec Scales with Remote Cosmic Microwave Background Quadrupole Measurements," *Phys. Rev. D*, 73, 123517 (2006).
2. J.C. Baez and E.F. Bunn, "The Meaning of Einstein's Equation," *Am. J. Phys.*, 73, 653 (2005).
3. M.E. Abroe, A. Balbi, J. Borrill, E.F. Bunn, S. Hanany, A.H. Jaffe, A.T. Lee, K.A. Olive, B. Rabii, P.L. Richards, G.F. Smoot, R. Stompor, C.D. Winant, and J.H.P. Wu, "Frequentist Estimation of Cosmological Parameters from the MAXIMA-1 Data Cosmic Microwave Background Anisotropy Data," *M.N.R.A.S.*, 334, 11 (2002).
4. E.F. Bunn and D. Scott, "A Preferred-Direction Statistic for Sky Maps," *M.N.R.A.S.*, 313, 331 (2000).

5. J.J. Levin, J.D. Barrow, E.F. Bunn, and J. Silk, “Flat Spots: Topological Signatures of Open Universes in COBE Sky Maps,” *Phys. Rev. Lett.*, 79, 974 (1997).

Synergistic Activities:

I am active in physics education in a variety of formal and informal ways beyond simply teaching courses. Examples include the following:

- I wrote the widely-read web document “Frequently Asked Questions About Black Holes,” at <http://cosmology.berkeley.edu/Education/BHfaq.html>, and I continue to field questions from the public on black holes as a result.
- I served as co-moderator of Usenet newsgroup sci.physics.research (1995-2004). Although I no longer serve as moderator, I assist the current moderators and participate regularly in the newsgroup.
- I wrote the “Ask the Wizard” column for the December 2000 issue of *Discover* magazine.
- I am consulted by members of the local and national media (*Richmond Times-Dispatch*, *Discover*, *National Geographic News*) on news stories related to astronomy and astrophysics.
- I developed a new major in Interdisciplinary Physics at the University of Richmond.
- I wrote a new lab manual for an introductory astrophysics course at the University of Richmond.

List of Recent Collaborators:

P. Ade (Cardiff)	J. Baez (U.C. Riverside)	E. Bierman (U.C.S.D.)
C. Calderon (Cardiff)	A. de Oliveira-Costa (U. Penn.)	A. Gault (Wisconsin)
P. Hyland (Wisconsin)	B. Keating (U.C.S.D.)	J. Kim (Brown)
A. Korotkov (Brown)	S. Malu (Wisconsin)	A. Murphy (N.U.I. Maynooth)
C. O’Sullivan (N.U.I. Maynooth)	L. Piccirillo (Manchester)	D. Scott (U.B.C.)
M. Tegmark (M.I.T.)	P. Timbie (Wisconsin)	G. Tucker (Brown)
B. Wandelt (U.I.U.C.)	M. White (Berkeley)	M. Zaldarriaga (Harvard)

Graduate and Postdoctoral Advisor:

Joseph Silk (currently at Oxford).

Thesis Advisor and Post-Graduate Advisor

None. The University of Richmond is a primarily undergraduate institution.

Additional Senior Personel: Kenneth Hicks

Professional Preparation

Indiana University, B.S. (physics, with honors), 1980
 University of Colorado, Ph. D. (nuclear physics), 1984
 Postdoctoral Research Associate, TRIUMF (1984-1985)

Appointments

American Physical Society Fellow, 2005.
 Professor, Ohio University (April 1997 to present)
 Associate Professor, Ohio University (1992 to 1997)
 Assistant Professor, Ohio University (1988 to 1992)
 Research Scientist, TRIUMF (1985-1988)

Publications

Over 150 publications in refereed physics journals. More than 40 invited talks published in edited conference proceedings. The 5 most relevant recent publications are:

1. B. McKinnon, K. Hicks, *et al.* (the CLAS Collaboration), "Search for the Θ^+ pentaquark in the reaction $\gamma d \rightarrow p K^- K^+ n$ ", Phys. Rev. Lett. **96**:212001 (2006).
2. I. Hleiqawi and K. Hicks, " K^{*0} photoproduction off the proton at CLAS" Proceedings of the NSTAR 2005 Conference, S. Capstick, V. Crede, P. Eugenio, eds., World Scientific, Singapore, 2006.
3. H. Kohri *et al.* (the LEPS Collaboration), "Differential Cross Section and Photon-Beam Asymmetry for the $\bar{\gamma} n \rightarrow K^+ \Sigma^-$ Reaction at $E_\gamma = 1.5$ -2.4 GeV", Phys. Rev. Lett. **97**:082003 (2006).
4. T. Mibe *et al.* (the LEPS Collaboration), "Near-Threshold Diffractive ϕ -meson Photoproduction from the proton", Phys. Rev. Lett. **95**:182001 (2005).
5. M. Sumihama *et al.* (the LEPS Collaboration), "The $\bar{\gamma} p \rightarrow K^+ \Lambda$ and $\bar{\gamma} p \rightarrow K^+ \Sigma^0$ reactions at forward angles with photon energies from 1.5 to 2.4 GeV", Phys. Rev. C **73**:035214 (2006).

Five other significant publications are:

1. K. Hicks, "Experimental search for pentaquarks", Prog. Nucl. Part. Phys. **55** (2005) 647-676.
2. S. Niccolai *et al.* (the CLAS Collaboration), "Search for the Θ^+ pentaquark in the $\gamma d \rightarrow \Lambda n K^+$ reaction measured with CLAS", Phys. Rev. Lett. **97**:032001 (2006).
3. M. Battaglieri *et al.* (the CLAS Collaboration), "Search for Θ^+ pentaquark in a high statistics measurement of $\gamma p \rightarrow \bar{K}^0 K^+ n$ at CLAS", Phys. Rev. Lett. **96**:042001 (2006).

4. S. Stepanyan, K. Hicks *et al.* (the CLAS collaboration), “Observation of an Exotic $S=+1$ Baryon in Exclusive Photoproduction from the Deuteron”, Phys. Rev. Lett. 91, 252001 (2003).
5. T. Nakano *et al.* (the LEPS collaboration), “Evidence for a Narrow $S=+1$ Baryon Resonance in Photoproduction from the Neutron”, Phys. Rev. Lett. 91, 012002 (2003).

Synergistic Activities

Monthly Columnist, *The Columbus Dispatch* newspaper, 2006-present.

Undergraduate Chair, Department of Physics & Astronomy, 2006-present.

Project Director, *Structure of the Universe: Quarks to the Cosmos*, 2005-present

Presidential Research Scholar (5 yr. term), Ohio University, 2004-present.

Co-spokesman, Ohio University 1804 grant, *Personal Response System for Use in Physical Sciences Courses*, 2004.

Collaborators

1. The CLAS Collaboration at TJNAF.
2. The LEGS Collaboration at BNL.
3. The LEPS Collaboration at SPring-8, Japan.

Students and Postdocs Supervised:

1. Ph.D. students: Henry Clark (1993), Hong Zhang (1995), Rodney Michael (1995), Khamit Ardashev (2002), Chris Bade (2006), Ishaq Hleiqawi (2006), Serdar Kizilgul (present).
2. M.S. Thesis students: Adam Weisberg (2001), Daniel Sayre (2006).
3. Postdoctoral Fellows: Bart Larson (1991-93), Robert Deininger (1996-2001), Gabriel Niculescu (1998-2002), Jack Mahon (2001-present), Avto Tkabladze (2002-2005), Tsutomu Mibe (2004-present).

Advisors:

1. Hicks' Ph.D. advisor: Robert Ristinen, University of Colorado.
2. Hicks' postdoctoral advisor: Otto Häusser, Simon Fraser University.

Biographical Sketch: David Jenkins

Professional Preparation

- Yale University Mechanical Engineering BE, 1959
- University of California (Berkeley) Nuclear Engineering MS, 1961
- University of California (Berkeley) Physics PhD, 1964
- University of California Postdoc, Nuclear Physics 1964-1966

Appointments

- Professor Emeritus Virginia Tech 1997-present
- Professor Virginia Tech 1975-1997
- Associate Professor Virginia Tech 1970-1975
- Associate Program Director National Science Foundation 1973-1974
- Assistant Professor Virginia Tech 1966-1970

Publications Closely Related to the Proposed Project

- Measuring Angular Distributions at Forward and Backward Angles in Photoproduction Experiments CLAS Note 2006-005, D. Jenkins, 2006 <http://www1.jlab.org/ul/Physics/Hall-B/clas/public/2006-005.pdf>
- A Comparison of Simple and Full Acceptance, CLAS Note 2004-043, D. Jenkins, 2005, <http://www1.jlab.org/ul/Physics/Hall-B/clas/public/2004-043.pdf>
- The CEBAF Large Acceptance Spectrometer, B. Mecking and CLAS collaboration, NIM A 503/3, 513 (2003).
- The time-of-flight system for CLAS, E. S. Smith and CLAS collaboration, NIM A 432 (1999) 265.

Synergistic Activities

- Member Hall B collaboration and
- Hadron spectroscopy working group

Collaborators and Other Affiliations

- The CEBAF Large Acceptance Spectrometer (CLAS) Collaboration (35 institutions).

Advisors:

- Thesis Advisor, Emilio Segre, deceased.
- Postdoctoral Advisor Ken Crowe, University of California

Students and Postdocs Supervised:

- Thesis Advisor Richard Jones, University of Connecticut

Biographical Sketch for Peter Timbie

Professional Preparation

Harvard University	Physics	B.A.	1979
Princeton University	Physics	Ph.D.	1985
Princeton University	Physics	Postdoc	1985-1987
U. C. Berkeley	Physics	Postdoc	1987-1990

Appointments

University of Wisconsin-Madison	Professor of Physics	2002-
University of Wisconsin-Madison	Associate Professor of Physics	1997-2002
Brown University	Associate Professor of Physics	1996-1997
Brown University	Assistant Professor of Physics	1990-1996

Related Publications

- Keating, B. G., O'Dell, C. W., de Oliveira-Costa, A., Klawikowski, S., Stebor, N., Piccirillo L., Tegmark, M., and Timbie, P. T. "A Limit on the Large Angular Scale Polarization of the Cosmic Microwave Background," *Ap. J. Lett.* **560**, L1 (2001).
- Farese, P. C., Dall'Oglio, G., Gundersen, J. O., Keating, B. G., Klawikowski, S., Knox, L., Levy, A., Lubin, P. M., O'Dell, C. O., Peel, A., Piccirillo, L., Ruhl, J., and Timbie, P. T. "COMPASS: An Upper Limit on CMB Polarization at an Angular Scale of 20'," *ApJ* **610(2)**, 625 (2004).
- Aguirre, J. E., Bezaire, J. J., Cheng, E. S., Cottingham, D. A., Cordone, S. S., Crawford, T. M., Fixsen, D. J., Knox, L., Meyer, S. S., Norgaard-Nielsen, H. U., Silverberg, R. F., Timbie, P., and Wilson, G. W. "The Spectrum of Integrated Millimeter Flux of the Magellanic Clouds and 30-Doradus from TopHat and DIRBE Data," *ApJ* **596**, 273 (2003).
- Korotkov, A. L., Kim, J., Tucker, G. S., Gault, A., Hyland, P., Malu, S., Timbie, P. T., Bunn, E. F., Keating, B., Murphy, A., O'Sullivan, C., Ade, P. A. R., Calderon, C., and Piccirillo, L. "The millimeter-wave bolometric interferometer," *SPIE* 6269, (2006).
- Timbie, P. T., Tucker, G. S., Ade, P. A. R., Ali, S., Bierman, E., Bunn, E. F., Calderon, C., Gault, A. C., Hyland, P. O., Keating, B. G., Kim, J., Korotkov, A., Malu, S. S., Mauskopf, P., Murphy, J. A., O'Sullivan, C., Piccirillo, L., and Wandelt, B., D. "The Einstein Polarization Interferometer for Cosmology (*EPIC*) and the Millimeter-wave Bolometric Interferometer (MBI)," to be published in *New Astr. Rev.*

Other Publications

- Keating, B., Steinberger, J., Timbie, P., and Polnarev, A. "Large Angular Scale Polarization of the Cosmic Microwave Background Radiation and the Feasibility of its Detection," *Ap. J.* **495**, 580 (1998).
- Tucker, G. S., Kim, J., Timbie, P., Ali, S., Piccirillo, L. and Calderon, C. "Bolometric interferometry: the millimeter-wave bolometric interferometer," *New Astron. Rev.* **47**

(11-12), 1173 (2003).

Farese, P. C., Dall'Oglio, G., Gundersen, J. O., Keating, B. G., Klawikowski, S., Knox, L., Levy, A., Lubin, P. M., O'Dell, C. O., Peel, A., Piccirillo, L., Ruhl, J., and Timbie, P. T. "COMPASS: An Instrument for Measuring the Polarization of the CMB on Intermediate Angular Scales," *New Astron. Rev.* **47 (11-12)**, 1173 (2004).

O'Dell, C.W., Keating, B.G., de Oliveira-Costa, A., Tegmark, M., and Timbie, P.T. "CMB Polarization at Large Angular Scales: Data Analysis of the POLAR Experiment," *PRD* **68(4)**, 042002 (2003).

de Oliveira-Costa, A., Tegmark, M., O'Dell, C., Keating, B., Timbie, P., Efstathiou, G., Smoot, G. "Large-Scale Polarization of the Microwave Background and Foreground," *PRD* **68(8)**, 83003 (2003).

Synergistic Activities

- Coordinator of Undergraduate Programs: oversee all of the curriculum and lab development for the UW-Madison Dept. of Physics, which introduces over 3000 students each year to basic physics
- Chair of Instructional Materials Development Brownbag series: highlights teaching innovations across the UW campus as part of the Delta program
- Universe in the Park: engaged graduate and undergraduate student in public outreach program in Wisconsin's state parks during summer camping season
- Public lectures and radio and television appearances (over 30 in last 10 years)
- Advised over 35 undergraduates, including 12 women, in undergraduate research

Collaborators & Other Affiliations

Collaborators: Ted Bunn (Richmond), Ed Cheng (Conceptual Analytics), Jay Chervenak (GSFC), David Cottingham (GST), Angelica de Oliveira-Costa (MIT), Phil Farese (McKinsey), Dale Fixsen (Hughes/STX), Josh Gundersen (Miami), Lloyd Knox (UCD), Andrei Korotkov (Brown), Phil Lubin (UCSB), Peter Meinhold (UCSB), Stephan Meyer (Chicago), S. H. Moseley (GSFC), Lucio Piccirillo (Cardiff), Alexander Polnarev (Queen Mary and Westfield), John Ruhl (CWRU), Robert Silverberg (NASA/GSFC), Thomas Stevenson (GSFC), Max Tegmark (Penn), Greg Tucker (Brown), Dan van der Weide (UW), Ben Wandelt (UIUC), Grant Wilson (UMASS), Ed Wollack (GSFC)

Advisors: D. T. Wilkinson (Princeton, deceased), P. L. Richards (UC Berkeley)

Thesis Advisor: Grant Wilson (now at UMASS), Sean Cordone (ISCO International), Khurram Farooqui (Sapient Technologies), Amanda Gault (UW), Peter Hyland (UW), Brian Keating (UCSD), Slade Klawikowski (Janus), Siddharth Malu (UW), Chris O'Dell (UW-AOS), Rashmi Pathak (AMD), Charlie Silver (NovelX)

Postgraduate Sponsor: Shafinaz Ali (LLNL), Jean-Marc Duval (Bruker Biospin), Joshua Gundersen (Miami), Melissa Lucero (LANL), Junwei Zhou (Princeton Electronic Systems)

Gregory Tucker

Professional Preparation:

Massachusetts Institute of Technology, Cambridge, MA	physics	S.B. 1985
Princeton University, Princeton, NJ	physics	M.A. 1987
Princeton University, Princeton, NJ	physics	Ph.D. 1987
Princeton University, Princeton, NJ	physics	1991–1992
University of British Columbia, Vancouver, Canada	physics	1992–1996

Appointments:

2004–present	Associate Professor of physics, Brown University
1997–2004	Assistant Professor of physics, Brown University
2002–2003	National Research Council Senior Fellow, NASA/GSFC
1997–1998	Visiting Fellow, Princeton University
1996–1997	Physicist, Smithsonian Astrophysical Observatory

Selected Relevant Publications:

(References can be located using <http://adswww.harvard.edu>)

“Three-Year Wilkinson Microwave Anisotropy Probe (WMAP) Observations: Beam Profiles, Data Processing, Radiometer Characterization and Systematic Error Limits,” N. Jarosik, C. Barnes, M. R. Greason, R. S. Hill, M. R. Nolta, N. Odegard, J. L. Weiland, R. Bean, C. L. Bennett, O. Doré, M. Halpern, G. Hinshaw, A. Kogut, E. Komatsu, M. Limon, S. S. Meyer, L. Page, D. N. Spergel, G. S. Tucker, E. Wollack & E. L. Wright, accepted for publication in the *Astrophysical Journal Supplement* (2006)

“The Einstein polarization interferometer for cosmology (EPIC) and the millimeter-wave bolometric interferometer (MBI),” P. T. Timibe, G. S. Tucker, P. A. R. Ade, S. Ali, E. Bierman, E. F. Bunn, C. Calderon, A. C. Gault, P. O. Hyland, B. G. Keating, J. Kim, A. Korotkov, S. S. Malu, P. Mauskopf, J. A. Murphy, C. O’Sullivan, L. Piccirillo & B. D. Wandelt, *New Astronomy Reviews*, 50, 999 (2006)

“First Year Wilkinson Microwave Anisotropy Probe (WMAP) Observations: Preliminary Maps and Basic Results,” C. L. Bennett, M. Halpern, G. Hinshaw, N. Jackson, M. Limon, S. S. Meyer, L. Page, D. N. Spergel, G. S. Tucker, E. Wollack, E. L. Wright, C. Barnes, M. R. Greason, R. S. Hill, E. Komatsu, M. R. Nolta, N. Odegard, H. V. Peiris, L. Verde & J. L. Weiland, *ApJS*, 148, 1 (2003)

“The Microwave Anisotropy Probe (MAP) Mission,” C. L. Bennett, M. Bay, M. Halpern, G. Hinshaw, C. Jackson, N. Jarosik, A. Kogut, M. Limon, S. S. Meyer, L. Page, D. N. Spergel, G. S. Tucker, D. T. Wilkinson & E. L. Wright, *ApJ* 583, 1 (2003)

“Anisotropy in the Microwave Sky: Results from the First Flight of BAM”, G. S. Tucker, H. Gush, M. Halpern, I. Shinkoda and W. Towlson, *ApJ*, 475, L73 (1997)

Selected Other Publications:

“The Balloon-borne Large Aperture Submillimeter Telescope (BLAST),” G. S. Tucker, P. A. R. Ade, J. J. Bock, M. Devlin, M. Griffin, J. Gundersen, M. Halpern, P. Hargrave, D. Hughes, J. Klein, C. B. Netterfield, L. Olmi & D. Scott, *Advances in Space Research*, 33, 1793 (2004)

- “The EBEX Experiment,” P. Oxley, P. Ade., C. Baccigalupi, P. deBernardis, M. J. Devlin, S. Hanany, B. R. Johnson, T. Jones, A. T. Lee, T. Matsumura, A. D. Miller, M. Milligan, T. Renbarger, R. Stompor, G. S. Tucker & M. Zaldarriaga, *Proceedings of the SPIE (Earth Observing Systems IX)*, 5543, 330 (2004)
- “NTD-Ge Based Microcalorimeter Performance,” S. Bandler, E. Silver, H. Schnopper, S. Murray, M. Barbera, N. Madden, D. Landis, J. Beeman, E. Haller and G. Tucker, *Nucl. Instr. and Meth.*, A444, 273 (2000)
- “Cryogenic Bolometric Radiometer and Telescope”, G. S. Tucker, J. B. Peterson, C. B. Netterfield, G. S. Griffin, and E. L. Griffith, *Rev. Sci. Instr.* 65, 301 (1994)
- “A Search for Small Scale Anisotropy in the Cosmic Microwave Background”, G. S. Tucker, G. S. Griffin, H. T. Nguyen and J. B. Peterson, *ApJ* 419, L45 (1993)

Synergistic Activities:

- a. In collaboration with the Providence public school system, have high school teachers doing research in the lab during summers.
- b. Lead after school science clubs in Providence public high schools.
- c. Introduced radio astronomy laboratory for undergraduate students.
- d. Developed “MAPping the Universe,” to introduce science and cosmology to K–12 students.
- e. Judge for Rhode Island State Science Fair

Collaborators & Other Affiliations:

P. Ade (Cardiff), S. Ali (Livermore), I. Aretxaga (INAOE), C. Baccigalupi (ISSA/ISAS), C. Barnes (Microsoft), C. Bennett (NASA/GSFC), J. Bock (JPL), E. Chapin (UBC), P. deBernardis (Rome), M. Devlin (UPenn), M. Dobbs (McGill), J. S. Dunlop (Edinburgh), E. E. Gaztañaga (INAOE), M. Griffin (Cardiff), J. Gundersen (Miami), M. Halpern (UBC), S. Hanany (Minnesota), G. Hinshaw (NASA/GSFC), D. Hughes (INAOE), J. Klein (UPenn), A. Kogut (NASA/GSFC), A. Lee (Berkeley), M. Limon (NASA/GSFC), P. Matuszewska (Cardiff), S. Meyer (Chicago), A. Miller (Columbia), C. B. Netterfield (Toronto), G. Novak (Northwestern), L. Olmi (Puerto Rico), L. Page (Princeton), L. Piccirillo (Manchester), D. Scott (UBC), D. Spergel (Princeton), R. Stompor (U. Paris-7), P. Timbie (Wisconsin), E. Wollack (NASA/Goddard), E. Wright (UCLA), M. Zaldarriaga (Harvard)

Graduate advisor: Jeff Peterson (Carnegie-Mellon University)

Postdoctoral advisors: Mark Halpern (UBC), Eric Silver (Smithsonian)

Graduate Students: Adam Fontecchio, Jaiseung Kim, John Macaluso, Dina Obeid, Forest Reid, Matt Truch, Jerry Vinokurov

Postdoctoral advisee: Andrei Korotkov

Additional Senior Personel: Michael F. Vineyard

Professional Preparation

- Stockton State College, Physics, B.S., 1978
- Florida State University, Physics, M.S., 1981
- Florida State University, Experimental Nuclear Physics, Ph.D., 1984
- Argonne National Laboratory, Postdoctoral Research Associate in Nuclear Physics, 1984-1986

Appointments

- 2002-present - Frank and Marie Louise Bailey Professor of Physics and Chair of the Department of Physics and Astronomy, Union College
- 2000-2001 - Visiting Scientist, Thomas Jefferson National Accelerator Facility
- 2000-2002 - The Robert Edward and Lena Frazer Loving Chair in Physics, University of Richmond
- 1992-2002 - Associate Professor of Physics, University of Richmond
- 1993-1994 - Visiting Scientist, Continuous Electron Beam Accelerator Facility
- 1987 (Summer) - Visiting Scientist, Argonne National Laboratory
- 1986-1992 - Assistant Professor of Physics, University of Richmond

Publications Closely Related to the Proposed Project

- R. De Vita *et al.* (The CLAS Collaboration), "Search for the Θ^+ pentaquark in the reactions $\gamma p \rightarrow \bar{K}^0 K^+ n$ and $\gamma p \rightarrow \bar{K}^0 K^0 p$," Phys. Rev. D **74**, 032001 (2006).
- K.V. Dharmawardane *et al.* (The CLAS Collaboration), "Measurement of the x- and Q^2 -Dependence of the Asymmetry A_1 on the Nucleon," Phys. Lett. B **641**, 11 (2006).
- S. Chen *et al.* (The CLAS Collaboration), "Measurement of Deeply Virtual Compton Scattering with a Polarized-Proton Target," Phys. Rev. Lett. **97**, 072002 (2006).
- S. Niccolai *et al.* (The CLAS Collaboration), "Search for the Θ^+ Pentaquark in the $\gamma d \rightarrow \Lambda n K^+$ Reaction Measured with the CLAS Spectrometer," Phys. Rev. Lett. **97**, 032001 (2006).
- F. Chinchilla, M. F. Vineyard, and G. P. Gilfoyle, "Development and Maintenance of a Linux Computing Cluster", Bull. Am. Phys. Soc. **45**(5), 19 (2000).

Other Significant Publications

- B. McKinnon *et al.* (The CLAS Collaboration), "Search for the Θ^+ Pentaquark in the Reaction $\gamma d \rightarrow p K^- K^+ n$," Phys. Rev. Lett. **96**, 212001 (2006).
- A. Klimenko *et al.* (The CLAS Collaboration), "Electron scattering from high-momentum neutrons in deuterium," Phys. Rev. C **73**, 035212 (2006).
- H. Egiyan *et al.* (The CLAS Collaboration), "Single π^+ electroproduction on the proton in the first and second resonance regions at $0.25 \text{ GeV}^2 \leq Q^2 \leq 0.65 \text{ GeV}^2$ using CLAS," Phys. Rev. C **73**, 025204 (2006).
- R. Bradford *et al.* (The CLAS Collaboration), "Differential cross sections for $\gamma + p \rightarrow K^+ + Y$ for Λ and Σ^0 hyperons," Phys. Rev. C **73**, 035202 (2006).
- M. Battaglieri *et al.* (The CLAS Collaboration), "Search for $\theta^+(1540)$ Pentaquark in High-Statistics Measurement of $\gamma p \rightarrow \bar{K}^0 K^+ n$ at CLAS," Phys. Rev. Lett. **96**, 042001 (2006).

Synergistic Activities

- Developed Mossbauer, relativistic dynamics, and muon decay experiments for the upper-level physics laboratory course at Union College (2004-present).
- Developed a Sophomore Research Seminar in environmental physics at Union College that includes particle-induced X-ray emission and liquid chromatography/mass spectrometry experiments (2006-present).
- Participated in the development and operation of the Capital District Physics Teachers Union, an outreach program focused on high school physics teachers in the capital district of New York (2003-present).
- Developed a 'workshop physics' course for the general physics with calculus sequence at the University of Richmond (1994-2002). The video analysis component of this project was funded by the National Science Foundation (\$7,943, 1995). The course has received considerable attention with visits from colleagues at other institutions and two talks at recent workshops.
- Developed a two-semester electronics laboratory course with emphasis on scientific instrumentation and computer aided circuit design. Part of the project was funded by the National Science Foundation (\$25,000, 1992).

Collaborators and Other Affiliations

- Collaborators - The CEBAF Large Acceptance Spectrometer (CLAS) Collaboration (35 institutions)
- Graduate Advisor - K. W. Kemper, Florida State University
- Postdoctoral Advisor - D. G. Kovar, U. S. Department of Energy

SUMMARY PROPOSAL BUDGET

YEAR 1

ORGANIZATION University of Richmond				FOR NSF USE ONLY			
PRINCIPAL INVESTIGATOR / PROJECT DIRECTOR Gerard P Gilfoyle				PROPOSAL NO.		DURATION (months)	
						Proposed	Granted
				AWARD NO.			
A. SENIOR PERSONNEL: PI/PD, Co-PI's, Faculty and Other Senior Associates (List each separately with title, A.7. show number in brackets)				NSF Funded Person-months		Funds Requested By proposer	Funds granted by NSF (if different)
				CAL	ACAD	SUMR	
1. Gerard P Gilfoyle - Professor				0.00	0.00	0.00	\$ 0
2. Emory F Bunn - Assistant Professor				0.00	0.00	0.00	0
3.							
4.							
5.							
6. (0) OTHERS (LIST INDIVIDUALLY ON BUDGET JUSTIFICATION PAGE)				0.00	0.00	0.00	0
7. (2) TOTAL SENIOR PERSONNEL (1 - 6)				0.00	0.00	0.00	0
B. OTHER PERSONNEL (SHOW NUMBERS IN BRACKETS)							
1. (0) POST DOCTORAL ASSOCIATES				0.00	0.00	0.00	0
2. (0) OTHER PROFESSIONALS (TECHNICIAN, PROGRAMMER, ETC.)				0.00	0.00	0.00	0
3. (0) GRADUATE STUDENTS							0
4. (0) UNDERGRADUATE STUDENTS							0
5. (0) SECRETARIAL - CLERICAL (IF CHARGED DIRECTLY)							0
6. (0) OTHER							0
TOTAL SALARIES AND WAGES (A + B)							0
C. FRINGE BENEFITS (IF CHARGED AS DIRECT COSTS)							0
TOTAL SALARIES, WAGES AND FRINGE BENEFITS (A + B + C)							0
D. EQUIPMENT (LIST ITEM AND DOLLAR AMOUNT FOR EACH ITEM EXCEEDING \$5,000.)							
Computing Cluster				\$	288,237		
TOTAL EQUIPMENT							288,237
E. TRAVEL 1. DOMESTIC (INCL. CANADA, MEXICO AND U.S. POSSESSIONS)							0
2. FOREIGN							0
F. PARTICIPANT SUPPORT COSTS							
1. STIPENDS \$ 0							
2. TRAVEL 0							
3. SUBSISTENCE 0							
4. OTHER 0							
TOTAL NUMBER OF PARTICIPANTS (0) TOTAL PARTICIPANT COSTS							0
G. OTHER DIRECT COSTS							
1. MATERIALS AND SUPPLIES							1,100
2. PUBLICATION COSTS/DOCUMENTATION/DISSEMINATION							0
3. CONSULTANT SERVICES							0
4. COMPUTER SERVICES							0
5. SUBAWARDS							0
6. OTHER							0
TOTAL OTHER DIRECT COSTS							1,100
H. TOTAL DIRECT COSTS (A THROUGH G)							289,337
I. INDIRECT COSTS (F&A)(SPECIFY RATE AND BASE)							
(Rate: , Base:)							
TOTAL INDIRECT COSTS (F&A)							0
J. TOTAL DIRECT AND INDIRECT COSTS (H + I)							289,337
K. RESIDUAL FUNDS (IF FOR FURTHER SUPPORT OF CURRENT PROJECTS SEE GPG II.C.6.j.)							0
L. AMOUNT OF THIS REQUEST (J) OR (J MINUS K)						\$ 289,337	\$
M. COST SHARING PROPOSED LEVEL \$ 0				AGREED LEVEL IF DIFFERENT \$			
PI/PD NAME Gerard P Gilfoyle				FOR NSF USE ONLY			
ORG. REP. NAME* Jennifer sauer				INDIRECT COST RATE VERIFICATION			
				Date Checked	Date Of Rate Sheet	Initials - ORG	

SUMMARY PROPOSAL BUDGET

YEAR 2

ORGANIZATION				FOR NSF USE ONLY		
University of Richmond				PROPOSAL NO.		DURATION (months)
						Proposed Granted
PRINCIPAL INVESTIGATOR / PROJECT DIRECTOR Gerard P Gilfoyle				AWARD NO.		
A. SENIOR PERSONNEL: PI/PD, Co-PI's, Faculty and Other Senior Associates (List each separately with title, A.7. show number in brackets)				NSF Funded Person-months		Funds Requested By proposer
				CAL	ACAD	SUMR
1. Gerard P Gilfoyle - none				0.00	0.00	0.00 \$ 0
2. Emory F Bunn - none				0.00	0.00	0.00 0
3.						
4.						
5.						
6. (0) OTHERS (LIST INDIVIDUALLY ON BUDGET JUSTIFICATION PAGE)				0.00	0.00	0.00 0
7. (2) TOTAL SENIOR PERSONNEL (1 - 6)				0.00	0.00	0.00 0
B. OTHER PERSONNEL (SHOW NUMBERS IN BRACKETS)						
1. () POST DOCTORAL ASSOCIATES						
2. () OTHER PROFESSIONALS (TECHNICIAN, PROGRAMMER, ETC.)						
3. () GRADUATE STUDENTS						
4. () UNDERGRADUATE STUDENTS						
5. () SECRETARIAL - CLERICAL (IF CHARGED DIRECTLY)						
6. () OTHER						
TOTAL SALARIES AND WAGES (A + B)						0
C. FRINGE BENEFITS (IF CHARGED AS DIRECT COSTS)						
TOTAL SALARIES, WAGES AND FRINGE BENEFITS (A + B + C)						0
D. EQUIPMENT (LIST ITEM AND DOLLAR AMOUNT FOR EACH ITEM EXCEEDING \$5,000.)						
TOTAL EQUIPMENT						0
E. TRAVEL 1. DOMESTIC (INCL. CANADA, MEXICO AND U.S. POSSESSIONS)						
2. FOREIGN						
F. PARTICIPANT SUPPORT COSTS						
1. STIPENDS \$ _____						
2. TRAVEL _____						
3. SUBSISTENCE _____						
4. OTHER _____						
TOTAL NUMBER OF PARTICIPANTS () TOTAL PARTICIPANT COSTS						0
G. OTHER DIRECT COSTS						
1. MATERIALS AND SUPPLIES						
2. PUBLICATION COSTS/DOCUMENTATION/DISSEMINATION						
3. CONSULTANT SERVICES						
4. COMPUTER SERVICES						
5. SUBAWARDS						
6. OTHER						
TOTAL OTHER DIRECT COSTS						0
H. TOTAL DIRECT COSTS (A THROUGH G)						0
I. INDIRECT COSTS (F&A)(SPECIFY RATE AND BASE) (Rate: , Base:)						
TOTAL INDIRECT COSTS (F&A)						0
J. TOTAL DIRECT AND INDIRECT COSTS (H + I)						0
K. RESIDUAL FUNDS (IF FOR FURTHER SUPPORT OF CURRENT PROJECTS SEE GPG II.C.6.j.)						
L. AMOUNT OF THIS REQUEST (J) OR (J MINUS K)						\$ 0 \$
M. COST SHARING PROPOSED LEVEL \$				AGREED LEVEL IF DIFFERENT \$		
PI/PD NAME Gerard P Gilfoyle				FOR NSF USE ONLY		
ORG. REP. NAME* Jennifer sauer				INDIRECT COST RATE VERIFICATION		
				Date Checked	Date Of Rate Sheet	Initials - ORG

SUMMARY PROPOSAL BUDGET

YEAR 3

ORGANIZATION University of Richmond				FOR NSF USE ONLY			
PRINCIPAL INVESTIGATOR / PROJECT DIRECTOR Gerard P Gilfoyle				PROPOSAL NO.		DURATION (months)	
						Proposed	Granted
				AWARD NO.			
A. SENIOR PERSONNEL: PI/PD, Co-PI's, Faculty and Other Senior Associates (List each separately with title, A.7. show number in brackets)				NSF Funded Person-months		Funds Requested By proposer	Funds granted by NSF (if different)
				CAL	ACAD	SUMR	
1. Gerard P Gilfoyle - none				0.00	0.00	0.00	\$ 0 \$
2. Emory F Bunn - none				0.00	0.00	0.00	0
3.							
4.							
5.							
6. (0) OTHERS (LIST INDIVIDUALLY ON BUDGET JUSTIFICATION PAGE)				0.00	0.00	0.00	0
7. (2) TOTAL SENIOR PERSONNEL (1 - 6)				0.00	0.00	0.00	0
B. OTHER PERSONNEL (SHOW NUMBERS IN BRACKETS)							
1. () POST DOCTORAL ASSOCIATES							
2. () OTHER PROFESSIONALS (TECHNICIAN, PROGRAMMER, ETC.)							
3. () GRADUATE STUDENTS							
4. () UNDERGRADUATE STUDENTS							
5. () SECRETARIAL - CLERICAL (IF CHARGED DIRECTLY)							
6. () OTHER							
TOTAL SALARIES AND WAGES (A + B)							0
C. FRINGE BENEFITS (IF CHARGED AS DIRECT COSTS)							
TOTAL SALARIES, WAGES AND FRINGE BENEFITS (A + B + C)							0
D. EQUIPMENT (LIST ITEM AND DOLLAR AMOUNT FOR EACH ITEM EXCEEDING \$5,000.)							
TOTAL EQUIPMENT							0
E. TRAVEL 1. DOMESTIC (INCL. CANADA, MEXICO AND U.S. POSSESSIONS)							
2. FOREIGN							
F. PARTICIPANT SUPPORT COSTS							
1. STIPENDS \$ _____							
2. TRAVEL _____							
3. SUBSISTENCE _____							
4. OTHER _____							
TOTAL NUMBER OF PARTICIPANTS () TOTAL PARTICIPANT COSTS							0
G. OTHER DIRECT COSTS							
1. MATERIALS AND SUPPLIES							
2. PUBLICATION COSTS/DOCUMENTATION/DISSEMINATION							
3. CONSULTANT SERVICES							
4. COMPUTER SERVICES							
5. SUBAWARDS							
6. OTHER							
TOTAL OTHER DIRECT COSTS							0
H. TOTAL DIRECT COSTS (A THROUGH G)							0
I. INDIRECT COSTS (F&A)(SPECIFY RATE AND BASE) (Rate: , Base:)							
TOTAL INDIRECT COSTS (F&A)							0
J. TOTAL DIRECT AND INDIRECT COSTS (H + I)							0
K. RESIDUAL FUNDS (IF FOR FURTHER SUPPORT OF CURRENT PROJECTS SEE GPG II.C.6.j.)							
L. AMOUNT OF THIS REQUEST (J) OR (J MINUS K)							\$ 0 \$
M. COST SHARING PROPOSED LEVEL \$				AGREED LEVEL IF DIFFERENT \$			
PI/PD NAME Gerard P Gilfoyle				FOR NSF USE ONLY			
ORG. REP. NAME* Jennifer sauer				INDIRECT COST RATE VERIFICATION			
		Date Checked		Date Of Rate Sheet		Initials - ORG	

SUMMARY PROPOSAL BUDGET

Cumulative

ORGANIZATION University of Richmond				FOR NSF USE ONLY			
PRINCIPAL INVESTIGATOR / PROJECT DIRECTOR Gerard P Gilfoyle				PROPOSAL NO.	DURATION (months)		
				AWARD NO.	Proposed	Granted	
A. SENIOR PERSONNEL: PI/PD, Co-PI's, Faculty and Other Senior Associates (List each separately with title, A.7. show number in brackets)				NSF Funded Person-months		Funds Requested By proposer	Funds granted by NSF (if different)
				CAL	ACAD	SUMR	
1. Gerard P Gilfoyle - none				0.00	0.00	0.00	\$ 0
2. Emory F Bunn - none				0.00	0.00	0.00	0
3.							
4.							
5.							
6. () OTHERS (LIST INDIVIDUALLY ON BUDGET JUSTIFICATION PAGE)				0.00	0.00	0.00	0
7. (2) TOTAL SENIOR PERSONNEL (1 - 6)				0.00	0.00	0.00	0
B. OTHER PERSONNEL (SHOW NUMBERS IN BRACKETS)							
1. (0) POST DOCTORAL ASSOCIATES				0.00	0.00	0.00	0
2. (0) OTHER PROFESSIONALS (TECHNICIAN, PROGRAMMER, ETC.)				0.00	0.00	0.00	0
3. (0) GRADUATE STUDENTS							0
4. (0) UNDERGRADUATE STUDENTS							0
5. (0) SECRETARIAL - CLERICAL (IF CHARGED DIRECTLY)							0
6. (0) OTHER							0
TOTAL SALARIES AND WAGES (A + B)							0
C. FRINGE BENEFITS (IF CHARGED AS DIRECT COSTS)							0
TOTAL SALARIES, WAGES AND FRINGE BENEFITS (A + B + C)							0
D. EQUIPMENT (LIST ITEM AND DOLLAR AMOUNT FOR EACH ITEM EXCEEDING \$5,000.)							
\$ 288,237							
TOTAL EQUIPMENT							288,237
E. TRAVEL 1. DOMESTIC (INCL. CANADA, MEXICO AND U.S. POSSESSIONS)							0
2. FOREIGN							0
F. PARTICIPANT SUPPORT COSTS							
1. STIPENDS \$ 0							
2. TRAVEL 0							
3. SUBSISTENCE 0							
4. OTHER 0							
TOTAL NUMBER OF PARTICIPANTS (0) TOTAL PARTICIPANT COSTS							0
G. OTHER DIRECT COSTS							
1. MATERIALS AND SUPPLIES							1,100
2. PUBLICATION COSTS/DOCUMENTATION/DISSEMINATION							0
3. CONSULTANT SERVICES							0
4. COMPUTER SERVICES							0
5. SUBAWARDS							0
6. OTHER							0
TOTAL OTHER DIRECT COSTS							1,100
H. TOTAL DIRECT COSTS (A THROUGH G)							289,337
I. INDIRECT COSTS (F&A)(SPECIFY RATE AND BASE)							
TOTAL INDIRECT COSTS (F&A)							0
J. TOTAL DIRECT AND INDIRECT COSTS (H + I)							289,337
K. RESIDUAL FUNDS (IF FOR FURTHER SUPPORT OF CURRENT PROJECTS SEE GPG II.C.6.j.)							0
L. AMOUNT OF THIS REQUEST (J) OR (J MINUS K)							\$ 289,337 \$
M. COST SHARING PROPOSED LEVEL \$ 0				AGREED LEVEL IF DIFFERENT \$			
PI/PD NAME Gerard P Gilfoyle				FOR NSF USE ONLY			
ORG. REP. NAME* Jennifer sauer				INDIRECT COST RATE VERIFICATION			
		Date Checked		Date Of Rate Sheet		Initials - ORG	

C *ELECTRONIC SIGNATURES REQUIRED FOR REVISED BUDGET

Budget Justification

We now describe the proposed system that will satisfy our computational needs. The components are listed in Table 1. A detailed quote for items 1-6 is in the supplementary documents from Linux Labs. Below we discuss our reasoning behind the choice of the different components.

Item	Number	Description	Price(\$)
1	1	Dual Opteron master node, 2.2 GHz, 4 GByte RAM, 5 TByte RAID	17,100
2	49	Remote nodes, 2.2 GHz, 2 GByte RAM, 160 GByte storage	192,521
3	1	HP Procurve switch	16,000
4	5	UPS - 5 minutes	34,635
5	5	cabinets	6,039
6	1	Nimbus OS license, installation, and warranty	21,942
7	-	Hardware items that cost less than \$500	1,100
		Total Cost	289,337

Table 1: Proposed computer cluster description and cost (see quote in supplementary documents for more details).

The dual-Opteron processors (item 1) were chosen because of their excellent cost-to-benefit ratio. Their clock speed is about 50% faster than the speed of most of the current remote nodes and (according to the vendor) architectural improvements make them 4-5 times faster than most of the remote nodes in the existing cluster. The Opteron processor does substantially more computations per clock cycle. The Linux operating system is a research-quality operating system that is commonplace in nuclear physics and astrophysics. The number of machines was chosen to reduce the time to for simulating the CLAS response to a reasonable value. The proposed cluster will generate and analyze 40 million events in a much shorter time. We estimate about 1 day compared with the time required for the existing cluster (about 6 days). The proposed machines reduce the time for an acceptance calculation by a factor of six. The astrophysics projects require hundreds of power spectrum estimations and maximum entry reconstructions which each take about a CPU-hour. The memory (2 GByte for each node) is needed because the reconstruction and simulation packages (RECSIS and GSIM) for the nuclear physics work use large amounts of memory and the astrophysics simulations work with large matrices. A 160-GByte hard drive (item 2) will be attached to each machine to provide storage. This space is needed to store data files for analysis, the output of the GSIM simulations to be analyzed by the RECSIS reconstruction code, and the results of the astrophysical analysis. The fast ethernet switch (item 3) is needed to speed data transfer over the network (see Section 3.2). Backup power supplies (item 4) will prevent damage to the system in the event of a sudden power loss. The supercomputing laboratory has backup power, but there is a lag between power loss and the switch to backup power. Cabinets will hold the nodes (item 5). Hardware and software installation is required (item 6). The software for managing the cluster and submitting batch jobs is Nimbus beowulf from Linux Labs in Atlanta, GA. This is the vendor who built the current cluster and we have had a long, fruitful relationship with them. A variety of other components each costing less than \$500 (cables and tools) are included in item 7. We expect the system to have a 4-6 year lifetime. Our experience at Richmond and at JLab suggests that remote nodes will gradually fail over time and that four years is the optimum lifetime. See the Facilities document or Section 4.1 in the Project Description.

Current and Pending Support

(See GPG Section II.C.2.h for guidance on information to include on this form.)

The following information should be provided for each investigator and other senior personnel. Failure to provide this information may delay consideration of this proposal.

Investigator: **Gerard Gilfoyle**

Other agencies (including NSF) to which this proposal has been/will be submitted.
DoD/DURIP

Support: ☒ Current ☐ Pending ☐ Submission Planned in Near Future ☐ *Transfer of Support
Project/Proposal Title: **Nuclear and Particle Physics Research at the University of Richmond**

Source of Support: **Department of Energy**
Total Award Amount: \$ **52,000** Total Award Period Covered: **06/01/05 - 05/31/07**
Location of Project: **University of Richmond**
Person-Months Per Year Committed to the Project. Cal:**5.00** Acad:**2.00** Sumr: **3.00**

Support: ☐ Current ☒ Pending ☐ Submission Planned in Near Future ☐ *Transfer of Support
Project/Proposal Title: **Supercomputing for Physics Research at the University of Richmond**

Source of Support: **DoD (DURIP)**
Total Award Amount: \$ **289,337** Total Award Period Covered: **04/01/07 - 04/01/08**
Location of Project: **University of Richmond**
Person-Months Per Year Committed to the Project. Cal:**0.50** Acad:**0.25** Sumr: **0.25**

Support: ☐ Current ☒ Pending ☐ Submission Planned in Near Future ☐ *Transfer of Support
Project/Proposal Title: **RUI: Nuclear Physics Research at the University of Richmond**

Source of Support: **National Science Foundation**
Total Award Amount: \$ **161,563** Total Award Period Covered: **06/01/07 - 05/31/10**
Location of Project: **University of Richmond**
Person-Months Per Year Committed to the Project. Cal:**5.00** Acad:**2.00** Sumr: **3.00**

Support: ☐ Current ☒ Pending ☐ Submission Planned in Near Future ☐ *Transfer of Support
Project/Proposal Title: **MRI: Acquisition of a computing cluster for nuclear physics and astrophysics research at the University of Richmond**

Source of Support: **National Science Foundation**
Total Award Amount: \$ **289,337** Total Award Period Covered: **08/01/07 - 07/31/10**
Location of Project: **University of Richmond**
Person-Months Per Year Committed to the Project. Cal:**0.50** Acad:**0.25** Sumr: **0.25**

Support: ☐ Current ☐ Pending ☐ Submission Planned in Near Future ☐ *Transfer of Support
Project/Proposal Title:

Source of Support:
Total Award Amount: \$ Total Award Period Covered:
Location of Project:
Person-Months Per Year Committed to the Project. Cal: Acad: Summ:

*If this project has previously been funded by another agency, please list and furnish information for immediately preceding funding period.

Current and Pending Support

(See GPG Section II.C.2.h for guidance on information to include on this form.)

The following information should be provided for each investigator and other senior personnel. Failure to provide this information may delay consideration of this proposal.

Investigator: Emory Bunn	Other agencies (including NSF) to which this proposal has been/will be submitted. DoD/DURIP
---------------------------------	---

Support: <input checked="" type="checkbox"/> Current <input type="checkbox"/> Pending <input type="checkbox"/> Submission Planned in Near Future <input type="checkbox"/> *Transfer of Support	
Project/Proposal Title: Statistical characterization of foregrounds for microwave background observations	
Source of Support: Research Corporation	
Total Award Amount: \$ 33,270 Total Award Period Covered: 07/01/02 - 06/30/07	
Location of Project: University of Richmond	
Person-Months Per Year Committed to the Project. Cal: 0.00 Acad: 0.00 Sumr: 0.50	

Support: <input checked="" type="checkbox"/> Current <input type="checkbox"/> Pending <input type="checkbox"/> Submission Planned in Near Future <input type="checkbox"/> *Transfer of Support	
Project/Proposal Title: RUI: Cosmic microwave background analysis in the post-WMAP era	
Source of Support: NSF	
Total Award Amount: \$ 109,298 Total Award Period Covered: 08/01/05 - 07/31/08	
Location of Project: University of Richmond	
Person-Months Per Year Committed to the Project. Cal: 0.00 Acad: 0.00 Sumr: 1.33	

Support: <input checked="" type="checkbox"/> Current <input type="checkbox"/> Pending <input type="checkbox"/> Submission Planned in Near Future <input type="checkbox"/> *Transfer of Support	
Project/Proposal Title: Mission Concept Study for the Einstein Polarization Interferometer for Cosmology	
Source of Support: NASA	
Total Award Amount: \$ 18,300 Total Award Period Covered: 05/01/04 - 04/30/07	
Location of Project: University of Richmond	
Person-Months Per Year Committed to the Project. Cal: 0.00 Acad: 0.00 Sumr: 0.25	

Support: <input type="checkbox"/> Current <input checked="" type="checkbox"/> Pending <input type="checkbox"/> Submission Planned in Near Future <input type="checkbox"/> *Transfer of Support	
Project/Proposal Title: MRI: Acquisition of a computing cluster for nuclear physics and astrophysics research at the University of Richmond (this proposal)	
Source of Support: NSF	
Total Award Amount: \$ 289,337 Total Award Period Covered: 08/01/07 - 07/31/10	
Location of Project: University of Richmond	
Person-Months Per Year Committed to the Project. Cal: 0.00 Acad: 0.00 Sumr: 0.50	

Support: <input type="checkbox"/> Current <input checked="" type="checkbox"/> Pending <input type="checkbox"/> Submission Planned in Near Future <input type="checkbox"/> *Transfer of Support	
Project/Proposal Title: Supercomputing for physics research at the University of Richmond	
Source of Support: DoD (DURIP)	
Total Award Amount: \$ 288,237 Total Award Period Covered: 04/01/07 - 04/01/08	
Location of Project: University of Richmond	
Person-Months Per Year Committed to the Project. Cal: 0.00 Acad: 0.00 Summ: 0.00	

*If this project has previously been funded by another agency, please list and furnish information for immediately preceding funding period.

Current and Pending Support

(See GPG Section II.C.2.h for guidance on information to include on this form.)

The following information should be provided for each investigator and other senior personnel. Failure to provide this information may delay consideration of this proposal.

Investigator: **Kenneth Hicks**

Other agencies (including NSF) to which this proposal has been/will be submitted.
DoD/DURIP

Support: ☒ Current ☐ Pending ☐ Submission Planned in Near Future ☐ *Transfer of Support

Project/Proposal Title: **Study of Hadronic Structure Using Electromagnetic Probes**

Source of Support: **National Science Foundation**

Total Award Amount: \$ **215,000** Total Award Period Covered: **06/01/06 - 05/31/09**

Location of Project: **Ohio University**

Person-Months Per Year Committed to the Project. Cal: **36.00** Acad: **12.00** Sumr: **24.00**

Support: ☐ Current ☒ Pending ☐ Submission Planned in Near Future ☐ *Transfer of Support

Project/Proposal Title: **MRI: Acquisition of a computing cluster for nuclear physics and astrophysics research at the University of Richmond**

Source of Support: **National Science Foundation**

Total Award Amount: \$ **289,337** Total Award Period Covered: **08/01/07 - 07/31/10**

Location of Project: **University of Richmond**

Person-Months Per Year Committed to the Project. Cal: **0.00** Acad: **0.00** Sumr: **0.00**

Support: ☐ Current ☐ Pending ☐ Submission Planned in Near Future ☐ *Transfer of Support

Project/Proposal Title:

Source of Support:

Total Award Amount: \$ Total Award Period Covered:

Location of Project:

Person-Months Per Year Committed to the Project. Cal: Acad: Sumr:

Support: ☐ Current ☐ Pending ☐ Submission Planned in Near Future ☐ *Transfer of Support

Project/Proposal Title:

Source of Support:

Total Award Amount: \$ Total Award Period Covered:

Location of Project:

Person-Months Per Year Committed to the Project. Cal: Acad: Sumr:

Support: ☐ Current ☐ Pending ☐ Submission Planned in Near Future ☐ *Transfer of Support

Project/Proposal Title:

Source of Support:

Total Award Amount: \$ Total Award Period Covered:

Location of Project:

Person-Months Per Year Committed to the Project. Cal: Acad: Summ:

*If this project has previously been funded by another agency, please list and furnish information for immediately preceding funding period.

(See GPG Section II.C.2.h for guidance on information to include on this form.)

	Other agencies (including NSF) to which this proposal has been/will be submitted.
--	---

DoD/DURIP

Person-Months Per Year Committed to the Project. Cal:**0.00** Acad: **0.00** Sumr: **0.00**

Person-Months Per Year Committed to the Project. Cal: Acad: Sumr:

Person-Months Per Year Committed to the Project. Cal: Acad: Sumr:

Person-Months Per Year Committed to the Project. Cal: Acad: Sumr:

Person-Months Per Year Committed to the Project.	Cal:	Acad:	Summ:
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			
61			
62			
63			
64			
65			
66			
67			
68			
69			
70			
71			
72			
73			
74			
75			
76			
77			
78			
79			
80			
81			
82			
83			
84			
85			
86			
87			
88			
89			
90			
91			
92			
93			
94			
95			
96			
97			
98			
99			
100			

USE ADDITIONAL SHEETS AS NECESSARY

Current and Pending Support

(See GPG Section II.C.2.h for guidance on information to include on this form.)

The following information should be provided for each investigator and other senior personnel. Failure to provide this information may delay consideration of this proposal.

Investigator: Peter Timbie	Other agencies (including NSF) to which this proposal has been/will be submitted. DoD/DURIP
-----------------------------------	---

Support: <input checked="" type="checkbox"/> Current <input type="checkbox"/> Pending <input type="checkbox"/> Submission Planned in Near Future <input type="checkbox"/> *Transfer of Support	Project/Proposal Title: Vilas Research Associate in the Physical Sciences
Source of Support: Wisconsin Alumni Research Foundation	
Total Award Amount: \$ 39,036 Total Award Period Covered: 07/01/06 - 06/30/07	
Location of Project: UW Madison	
Person-Months Per Year Committed to the Project. Cal: 1.00 Acad: 0.00 Sumr: 0.00	

Support: <input checked="" type="checkbox"/> Current <input type="checkbox"/> Pending <input type="checkbox"/> Submission Planned in Near Future <input type="checkbox"/> *Transfer of Support	Project/Proposal Title: Development of transition edge hot-electron microbolometer
Source of Support: NASA/GSRP program	
Total Award Amount: \$ 24,000 Total Award Period Covered: 09/01/06 - 08/31/09	
Location of Project: UW Madison	
Person-Months Per Year Committed to the Project. Cal: 0.00 Acad: 0.00 Sumr: 0.00	

Support: <input checked="" type="checkbox"/> Current <input type="checkbox"/> Pending <input type="checkbox"/> Submission Planned in Near Future <input type="checkbox"/> *Transfer of Support	Project/Proposal Title: Demonstration of the Millimeter-wave Bolometric Interferometer
Source of Support: Brown University	
Total Award Amount: \$ 152,624 Total Award Period Covered: 01/01/07 - 12/31/07	
Location of Project: UW Madison	
Person-Months Per Year Committed to the Project. Cal: 0.00 Acad: 0.00 Sumr: 1.00	

Support: <input type="checkbox"/> Current <input checked="" type="checkbox"/> Pending <input type="checkbox"/> Submission Planned in Near Future <input type="checkbox"/> *Transfer of Support	Project/Proposal Title: Signal Processing in Millimeter-wave and Submillimeter-wave Focal Planes
Source of Support: NSF ATI	
Total Award Amount: \$ 616,177 Total Award Period Covered: 06/01/07 - 05/31/10	
Location of Project: UW Madison	
Person-Months Per Year Committed to the Project. Cal: 0.00 Acad: 0.00 Sumr: 2.00	

Support: <input type="checkbox"/> Current <input type="checkbox"/> Pending <input type="checkbox"/> Submission Planned in Near Future <input type="checkbox"/> *Transfer of Support	Project/Proposal Title:
Source of Support:	
Total Award Amount: \$ Total Award Period Covered:	
Location of Project:	
Person-Months Per Year Committed to the Project. Cal: Acad: Summ:	

*If this project has previously been funded by another agency, please list and furnish information for immediately preceding funding period.

Current and Pending Support

Gregory Tucker

A. Current Support

NASA/University of Wisconsin

Mission Concept Study for the Einstein Polarization Interferometer for Cosmology (EPIC)
\$12,000

Period covered: 05/01/05—04/30/07

PI commitment (months per year) — 0.0

Location: Brown University

NASA

BLAST: LDB Extra-galactic Studies

\$415,548

Period covered: 05/01/05—04/30/07

PI commitment (months per year) — 1.0

Location: Brown University

NASA/University of Minnesota

Search for the B-Mode Signal of the Cosmic Microwave Background Polarization with the Balloon-borne E and B EXperiment (EBEX)

\$404,329

Period covered: 06/01/05—05/30/08

PI commitment (months per year) — 0.0

Location: Brown University

NASA/University of Pennsylvania

Extragalactic and Galactic Surveys with the Balloon-borne Large Aperture Sub-millimeter Telescope — BLAST

\$314,165

Period covered: 04/01/06—03/31/09

PI commitment (months per year) — 1.0

Location: Brown University

B. Pending Support

NASA

Demonstration of the Millimeter-wave Bolometric Interferometer
\$320,000

Period covered: 01/15/07—01/14/08

PI commitment (months per year) — 1.0

Location: Brown University

NSF

GK-12 Physical Processes in the Environment
\$2,992,104

Period covered: 06/01/07—05/30/12

PI commitment (months per year) — 0.0

Location: Brown University

Current and Pending Support

(See GPG Section II.C.2.h for guidance on information to include on this form.)

The following information should be provided for each investigator and other senior personnel. Failure to provide this information may delay consideration of this proposal.

Investigator: **Michael Vineyard**

Other agencies (including NSF) to which this proposal has been/will be submitted.
DoD/DURIP

Support: ☒ Current ☐ Pending ☐ Submission Planned in Near Future ☐ *Transfer of Support
Project/Proposal Title: **Nucleon Structure Studies with Electromagnetic Probes**

Source of Support: **Department of Energy**
Total Award Amount: \$ **168,000** Total Award Period Covered: **06/15/06 - 06/14/09**
Location of Project: **Unin College**
Person-Months Per Year Committed to the Project. Cal:**4.00** Acad:**2.50** Sumr: **1.50**

Support: ☐ Current ☒ Pending ☐ Submission Planned in Near Future ☐ *Transfer of Support
Project/Proposal Title: **MRI: Acquisition of a computing cluster for nuclear physics and astrophysics research at the University of Richmond**

Source of Support: **National Science Foundation**
Total Award Amount: \$ **289,337** Total Award Period Covered: **08/01/07 - 07/31/10**
Location of Project: **University of Richmond**
Person-Months Per Year Committed to the Project. Cal:**0.00** Acad:**0.00** Sumr: **0.00**

Support: ☐ Current ☐ Pending ☐ Submission Planned in Near Future ☐ *Transfer of Support
Project/Proposal Title:

Source of Support:
Total Award Amount: \$ Total Award Period Covered:
Location of Project:
Person-Months Per Year Committed to the Project. Cal: Acad: Sumr:

Support: ☐ Current ☐ Pending ☐ Submission Planned in Near Future ☐ *Transfer of Support
Project/Proposal Title:

Source of Support:
Total Award Amount: \$ Total Award Period Covered:
Location of Project:
Person-Months Per Year Committed to the Project. Cal: Acad: Sumr:

Support: ☐ Current ☐ Pending ☐ Submission Planned in Near Future ☐ *Transfer of Support
Project/Proposal Title:

Source of Support:
Total Award Amount: \$ Total Award Period Covered:
Location of Project:
Person-Months Per Year Committed to the Project. Cal: Acad: Summ:

*If this project has previously been funded by another agency, please list and furnish information for immediately preceding funding period.

Facilities, Equipment, and Other Resources

The current computer system in the Nuclear and Particle Physics Group includes a computing cluster developed in 2001 with NSF and University funds plus an array of computers for software development and non-CPU-intensive calculations and analysis. The system now consists of 34, dual-processor machines running the Linux operating system and 3 TByte of RAID storage (29 of the nodes are 1.4 GHz machines). Each machine has 18 GByte of disk space and 256 MByte of memory. The entire system resides on its own subnet and another machine handles all incoming network traffic and acts as a firewall. The remaining machines in the cluster are relieved of responding to outside network traffic and access (and security) can be controlled and monitored through a single computer. It resides in a laboratory designed specifically for its needs which require a 50-ton, 60,000-BTU air conditioner to cool the room, an upgraded electrical panel, and a connection to the building's backup power. The system we now have is near the end of its useful life. We started out with 49 remote nodes and one master and have added five new ones over the years. Only 29 of the original remote nodes still work. The usual failure modes are a dead disk drive or a burned out power supply. We have replaced some of these components to resurrect nodes and even swapped parts to keep them going, but their days are numbered. We have also replaced the master node, fileserver, and several power supplies in the RAID. It is worthwhile to consider the experience at JLab with a very large computing farm with several hundred nodes. They have found that if a node has problems after 2-1/2 years it is not worth fixing and they replace it. All nodes are replaced after four years of use. The Richmond cluster is now almost six years old.

The remainder of the nuclear physics and astrophysics laboratories consists of nine linux machines for student and faculty use. The software used in the both the nuclear physics and astrophysics research is non-proprietary.

One member of the University's Information Services is a linux expert and he devotes half of his time to academic projects. He is responsible now for keeping the CLAS software up-to-date, updating the linux software on the cluster and in our laboratory, and general troubleshooting.

The anticipated operating costs are for power and linux support staff. The University has covered those costs for the existing cluster since 2001. See the letter from the University of Richmond dean supporting this project in the supplementary documents.



UNIVERSITY OF RICHMOND
FOUNDED 1830

Certification of Institutional Classification

The University of Richmond hereby certifies that the originating and managing institution is a non-Ph.D. granting institution per the respective definitions in the MRI program solicitation (NSF 07-510).

Authorized Institutional Representative:

Jennifer M. Sauer
Associate Vice President
and Controller

JMSauer Date 12/8/06
Jennifer M. Sauer
Associate Vice President and Controller
University of Richmond
Richmond, VA 23173

A Cluster Price Quote

Linux Labs International Inc.
55 Marietta Street
Suite 1830
Atlanta, GA 30303

Estimate

Date	Estimate #
9/5/2006	2791

Name / Address
University of Richmond Accounts Payable G-13 Maryland Hall Univeristy of Richmond, VA 23173

			Project
Description	Qty	Cost	Total
master node (1) - 4 u 248 2.2 Ghz 64 bit Dual Opteron, 4 Gb RAM with (16) 500 Gb SATA HD,GE NIC, DVD R/W, (2) SATA RAID Cards and dual power supplies. Includes 21" monitor, mouse and keyboard. (ARECA ARC-1120 8 port PCIX SATA RAID Controller and battery module.)	1	17,100.00	17,100.00
Slave Nodes 1 u 248 2.2 Ghz 64 bit Dual Opteron 2 Gb RAM, 160 SATA HD	49	3,929.00	192,521.00
HP Procurve Chassis with 3 24 port modules and two power supplies.	1	16,000.00	16,000.00
UPS - 5 mins uptime APC Smart UPS 10,000VA RM 208v w/stepdown transformer	5	6,927.00	34,635.00
42u cabinets with leveling feet	5	1,207.80	6,039.00
NimbusOS license, installation and 2 year service agreement	1	21,942.00	21,942.00
		Total	\$288,237.00

B Letters From Other Senior Personnel



19th January 2007

Dear Colleagues,

I acknowledge that I am listed among the senior personnel for the NSF Major Research Instrumentation proposal "MRI: Acquisition of a computing cluster for nuclear physics and astrophysics research at the University of Richmond." The proposed investigations will be valuable in the ongoing collaboration between my research group and co-PI Gilfoyle. My research group and I will participate in the proposed analysis and simulations and use the proposed instrument.

Sincerely,

A handwritten signature in blue ink, which appears to read 'Michael F. Vineyard'.

Michael F. Vineyard
Frank and Marie Louise Bailey
Professor of Physics and Chair of the
Department of Physics and Astronomy



Department of Physics
and Astronomy
John E. Edwards Accelerator
Laboratory
Athens OH 45701-2979

T: 740.593.1977
F: 740.593.1426

January 19, 2007

To Whom It May Concern:

I acknowledge that I am listed among the senior personnel for the NSF Major Research Instrumentation proposal "MRI: Acquisition of a computing cluster for nuclear physics and astrophysics research at the University of Richmond." The proposed investigations will be valuable in the ongoing collaboration between my research group and co-PI Gilfoyle. My research group and I will participate in the proposed analysis and simulations and use the proposed instrument.

Sincerely,

Kenneth Hicks
Professor of Physics




Physics Department
Building Address 0435
Blacksburg, Virginia 24061
540/231-1234 Fax: 540/231-1234
E-mail: jenkins@vt.edu
www.phys.vt.edu

Dear Sir or Madam,

I acknowledge that I am listed among the senior personnel for the NSF Major Research Instrumentation proposal "MRI: Acquisition of a computing cluster for nuclear physics and astrophysics research at the University of Richmond." The proposed investigations will be valuable in the ongoing collaboration between my research group and co-PI Gilfoyle. My research group and I will participate in the proposed analysis and simulations and use the proposed instrument.

Sincerely,


Dr. David Jenkins
Professor
Virginia Tech

Invent the Future

VIRGINIA POLYTECHNIC INSTITUTE AND STATE UNIVERSITY
An equal opportunity, affirmative action institution



I acknowledge that I am listed among the senior personnel for the NSF Major Research Instrumentation proposal "MRI: Acquisition of a computing cluster for nuclear physics and astrophysics research at the University of Richmond." The proposed investigations will be valuable in the ongoing collaboration between my research group and co-PI Bunn on the MBI and EPIC experiments. My research group and I will participate in the proposed simulations by providing technical guidance and code as available.

Sincerely

Prof. Peter Timbie

Department of Physics

Astrophysics: 6219 Chamberlin Hall
Telephone: (608) 262-5916

1150 University Avenue
office@wisp.physics.wisc.edu

Madison, Wisconsin 53706-1390
Fax: (608) 263-0361



BROWN

Department of Physics
Providence, R.I. 02912

Telephone: (401) 863-1441
Email: tucker@physics.brown.edu

18 January 2007

I acknowledge that I am listed among the senior personnel for the NSF Major Research Instrumentation proposal "MRI: Acquisition of a computing cluster for nuclear physics and astrophysics research at the University of Richmond." The proposed investigations will be valuable in the ongoing collaboration between my research group and co-PI Bunn on the MBI and EPIC experiments. My research group and I will participate in the proposed simulations by providing technical guidance and code as available.

Sincerely,

Gregory Tucker
Associate Professor of Physics

C Support Letter from the University of Richmond



UNIVERSITY OF RICHMOND
FOUNDED 1830

Office of the Dean
School of Arts and Sciences

January 23, 2007

Dr. Joan M. Frye
Office of Integrative Activities
National Science Foundation
4201 Wilson Blvd.
Arlington, VA 22230

Dear Dr. Frye:

I am writing to provide the University of Richmond's commitment to the National Science Foundation-Major Research Instrumentation proposal, "**MRI: Acquisition of a Computing Cluster for Nuclear Physics and Astrophysics Research at the University of Richmond,**" being submitted by Dr. Emory F. Bunn and Dr. Gerard P. Gilfoyle in the Department of Physics.

Acquisition of this instrument is critical to the research activities of our faculty and to the research training of our students. This computing cluster will be housed in our Gottwald Center for the Sciences, a newly renovated and enhanced building with extensive new facilities for learning and research. The university is committed to the operation and maintenance of the computing cluster.

For more than seven years, I have worked very closely with the Physics Department and other science faculty, developing and implementing our Strategic Plan's Initiative for Scientific Discovery, the flagship initiative for our institution's renewed focus on student learning and research. Faculty members have diligently revised the curriculum in each program with an emphasis on experiential learning where students are challenged with hands-on and real-world applications. In this curriculum, students are encouraged to join research partnerships under the guidance of our faculty, allowing active engagement and leading to peer-reviewed presentation and publication. Up to date instrumentation is a vital component of this plan for both faculty and students.

As we begin to realize our aspiration of moving from the ranks of the very good science undergraduate programs to one of the very best, each enhancement in instrumentation affecting research takes us closer to our goals. Our facility and programmatic improvements through the Initiative for Scientific Discovery will enhance our students' learning process while on campus and will encourage our students to continue their scientific study beyond their four years at Richmond. At the same time we need partners, highly respected external agencies and foundations that are also committed to improving scientific research, study and education.

I thank you for the opportunity to be considered under the NSF-MRI program.

Sincerely,

Andrew F. Newcomb
Dean

University of Richmond
Virginia 23173
804 289-8416
FAX: 804 289-8818