## The Diffusion Equation

1. Consider the one-dimensional diffusion equation corresponding to particles of density n(x,t) in a long pipe of length L with no sources (i.e., C=0).

$$\frac{\partial n(x,t)}{\partial t} = D \frac{\partial^2 n}{\partial x^2}$$

For each of the following descriptions, write down equations for the boundary conditions, calculate the dispersion relationship, and find the particular solution of the separated form n(x,t) = X(x)T(t) which is bounded and nonzero.

- (a) Both ends of the pipe at x = 0 and x = L are open and the density goes to zero outside the pipe.
- (b) The end of the pipe at x = 0 is open and the outside density is zero. At x = L the pipe is closed so the particle flux  $J_x$  vanishes there.
- (c) Both ends of the pipe are closed so the particle flux  $J_x$  vanishes there.

.

2. Consider the one-dimensional diffusion equation corresponding to particle in a long pipe of length L.

$$\frac{\partial n(x,t)}{\partial t} = D\frac{\partial^2 n}{\partial x^2} + Cn$$

where n(x,t) is the particle density, D is the self-diffusion coefficient, and C is the creation rate. In this problem there IS a source of particles  $(C \neq 0)$ .

- (a) What is the dispersion relationship?
- (b) Suppose the particle density is fixed at the value  $n_0$  at the ends of the pipe so  $n(x=0,t)=n(x=L,t)=n_0$ . What is the particular solution?